

OLLACHEA PROJECT						
2009 SCOUT DIAMOND DRILLING PROGRAM						
DRILLHOLE DDH09-27 Assays Results						
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-27	3.45	4.00	0.55	40092	G-09-9254293	0.013
DDH09-27	4.00	6.00	2.00	40093	G-09-9256460	0.017
DDH09-27	6.00	8.00	2.00	40094	G-09-9258627	0.016
DDH09-27	8.00	9.30	1.30	40095	G-09-9260794	0.013
DDH09-27	9.30	10.00	0.70	40096	G-09-9262961	0.244
DDH09-27	10.00	10.50	0.50	40097	G-09-9265128	0.449
DDH09-27	10.50	12.00	1.50	40098	G-09-9267295	0.796
DDH09-27	12.00	14.00	2.00	40099	G-09-9271629	0.02
DDH09-27	14.00	16.00	2.00	40100	G-09-9273796	0.016
DDH09-27	16.00	18.00	2.00	40101	G-09-9447156	0.035
DDH09-27	18.00	20.00	2.00	40102	G-09-9449323	0.009
DDH09-27	20.00	20.80	0.80	40104	G-09-9453657	0.007
DDH09-27	20.80	22.00	1.20	40105	G-09-9455824	0.009
DDH09-27	22.00	24.00	2.00	40106	G-09-9457991	0.03
DDH09-27	24.00	26.00	2.00	40107	G-09-9460158	0.102
DDH09-27	26.00	28.00	2.00	40108	G-09-9464492	0.019
DDH09-27	28.00	30.00	2.00	40109	G-09-9466659	0.023
DDH09-27	30.00	32.00	2.00	40110	G-09-9468826	0.017
DDH09-27	32.00	34.00	2.00	40111	G-09-9470993	0.074
DDH09-27	34.00	36.00	2.00	40112	G-09-9473160	0.017
DDH09-27	36.00	38.00	2.00	40113	G-09-9475327	0.019
DDH09-27	38.00	40.00	2.00	40114	G-09-9479661	0.01
DDH09-27	40.00	42.00	2.00	40115	G-09-9481828	0.024
DDH09-27	42.00	44.00	2.00	40116	G-09-9483995	0.014
DDH09-27	44.00	46.00	2.00	40117	G-09-9486162	0.017
DDH09-27	46.00	48.00	2.00	40118	G-09-9488329	0.009
DDH09-27	48.00	50.00	2.00	40120	G-09-9492663	<0.005
DDH09-27	50.00	52.00	2.00	40121	G-09-9494830	<0.005
DDH09-27	52.00	54.00	2.00	40122	G-09-9496997	<0.005
DDH09-27	54.00	56.00	2.00	40123	G-09-9499164	0.008
DDH09-27	56.00	58.00	2.00	40124	G-09-9503498	0.016
DDH09-27	58.00	60.00	2.00	40125	G-09-9505665	0.007
DDH09-27	60.00	62.00	2.00	40126	G-09-9507832	0.01
DDH09-27	62.00	64.00	2.00	40127	G-09-9509999	0.006
DDH09-27	64.00	66.00	2.00	40128	G-09-9512166	0.006
DDH09-27	66.00	68.00	2.00	40129	G-09-9516500	0.006
DDH09-27	68.00	70.00	2.00	40130	G-09-9518667	0.008
DDH09-27	70.00	70.75	0.75	40131	G-09-9520834	0.006
DDH09-27	70.75	72.00	1.25	40132	G-09-9523001	0.006
DDH09-27	72.00	74.00	2.00	40133	G-09-9525168	0.011
DDH09-27	74.00	76.00	2.00	40134	G-09-9527335	0.029
DDH09-27	76.00	78.00	2.00	40135	G-09-9531669	0.012
DDH09-27	78.00	80.00	2.00	40136	G-09-9533836	0.03
DDH09-27	80.00	82.00	2.00	40137	G-09-9536003	0.022
DDH09-27	82.00	84.00	2.00	40138	G-09-9538170	0.013
DDH09-27	84.00	86.00	2.00	40139	G-09-9542504	0.011
DDH09-27	86.00	88.00	2.00	40140	G-09-9544671	0.013
DDH09-27	88.00	90.00	2.00	40141	G-09-9546838	0.08
DDH09-27	90.00	92.00	2.00	40142	G-09-9549005	0.012
DDH09-27	92.00	94.00	2.00	40143	G-09-9551172	0.015
DDH09-27	94.00	96.00	2.00	40144	G-09-9555506	0.015
DDH09-27	96.00	98.00	2.00	40145	G-09-9557673	0.014
DDH09-27	98.00	100.00	2.00	40146	G-09-9559840	0.01
DDH09-27	100.00	102.00	2.00	40148	G-09-9564174	0.007

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-27	102.00	104.00	2.00	40149	G-09-9566341	0.011
DDH09-27	104.00	106.00	2.00	40150	G-09-9568508	0.01
DDH09-27	106.00	108.00	2.00	40151	G-09-9570675	0.091
DDH09-27	108.00	110.00	2.00	40152	G-09-9575009	0.009
DDH09-27	110.00	112.00	2.00	40153	G-09-9577176	0.01
DDH09-27	112.00	114.00	2.00	40154	G-09-9579343	0.015
DDH09-27	114.00	116.00	2.00	40155	G-09-9581510	0.009
DDH09-27	116.00	116.75	0.75	40156	G-09-9583677	0.021
DDH09-27	116.75	118.00	1.25	40157	G-09-9585844	0.016
DDH09-27	118.00	120.00	2.00	40158	G-09-9590178	0.009
DDH09-27	120.00	122.00	2.00	40159	G-09-9592345	0.008
DDH09-27	122.00	124.00	2.00	40160	G-09-9594512	0.015
DDH09-27	124.00	126.00	2.00	40161	G-09-9596679	0.028
DDH09-27	126.00	126.50	0.50	40163	G-09-9601013	<0.005
DDH09-27	126.50	128.00	1.50	40164	G-09-9603180	0.023
DDH09-27	128.00	128.70	0.70	40165	G-09-9605347	0.018
DDH09-27	128.70	130.00	1.30	40166	G-09-9609681	0.033
DDH09-27	130.00	132.00	2.00	40167	G-09-9611848	0.056
DDH09-27	132.00	134.00	2.00	40168	G-09-9614015	0.412
DDH09-27	134.00	136.00	2.00	40169	G-09-9616182	0.008
DDH09-27	136.00	138.00	2.00	40170	G-09-9618349	0.074
DDH09-27	138.00	140.00	2.00	40171	G-09-9620516	0.055
DDH09-27	140.00	142.00	2.00	40172	G-09-9622683	0.053
DDH09-27	142.00	144.00	2.00	40173	G-09-9627017	0.041
DDH09-27	144.00	146.00	2.00	40174	G-09-9629184	0.114
DDH09-27	146.00	148.00	2.00	40175	G-09-9631351	0.328
DDH09-27	148.00	150.00	2.00	40176	G-09-9806878	0.071
DDH09-27	150.00	152.00	2.00	40177	G-09-9809045	0.053
DDH09-27	152.00	154.00	2.00	40178	G-09-9811212	0.068
DDH09-27	154.00	156.00	2.00	40180	G-09-9815546	0.07
DDH09-27	156.00	158.00	2.00	40181	G-09-9817713	0.022
DDH09-27	158.00	160.00	2.00	40182	G-09-9819880	0.028
DDH09-27	160.00	162.00	2.00	40183	G-09-9822047	0.018
DDH09-27	162.00	164.00	2.00	40184	G-09-9826381	0.008
DDH09-27	164.00	165.15	1.15	40185	G-09-9828548	0.013
DDH09-27	165.15	166.00	0.85	40186	G-09-9830715	<0.005
DDH09-27	166.00	168.00	2.00	40187	G-09-9832882	<0.005
DDH09-27	168.00	170.00	2.00	40188	G-09-9835049	0.007
DDH09-27	170.00	170.70	0.70	40189	G-09-9837216	0.012
DDH09-27	170.70	172.00	1.30	40190	G-09-9841550	0.013
DDH09-27	172.00	174.00	2.00	40191	G-09-9843717	<0.005
DDH09-27	174.00	176.00	2.00	40192	G-09-9845884	0.012
DDH09-27	176.00	178.00	2.00	40193	G-09-9848051	<0.005
DDH09-27	178.00	180.00	2.00	40194	G-09-9850218	<0.005
DDH09-27	180.00	182.00	2.00	40195	G-09-9852385	<0.005
DDH09-27	182.00	184.00	2.00	40196	G-09-9856719	<0.005
DDH09-27	184.00	186.00	2.00	40197	G-09-9858886	0.009
DDH09-27	186.00	188.00	2.00	40198	G-09-9861053	0.012
DDH09-27	188.00	190.00	2.00	40199	G-09-9863220	0.033
DDH09-27	190.00	192.00	2.00	40200	G-09-9865387	0.015
DDH09-27	192.00	194.00	2.00	40201	G-09-9869721	<0.005
DDH09-27	194.00	194.70	0.70	40202	G-09-9871888	0.031
DDH09-27	194.70	196.00	1.30	40203	G-09-9874055	0.006
DDH09-27	196.00	198.00	2.00	40204	G-09-9876222	0.007
DDH09-27	198.00	200.00	2.00	40206	G-09-9880556	0.006
DDH09-27	200.00	202.00	2.00	40207	G-09-9882723	0.018
DDH09-27	202.00	204.00	2.00	40208	G-09-9884890	0.016

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-27	204.00	206.00	2.00	40209	G-09-9887057	0.02
DDH09-27	206.00	206.80	0.80	40210	G-09-9889224	0.068
DDH09-27	206.80	208.00	1.20	40211	G-09-9891391	0.039
DDH09-27	208.00	210.00	2.00	40212	G-09-9895725	0.017
DDH09-27	210.00	212.00	2.00	40213	G-09-9897892	0.039
DDH09-27	212.00	214.00	2.00	40214	G-09-9900059	0.014
DDH09-27	214.00	216.00	2.00	40215	G-09-9902226	0.019
DDH09-27	216.00	218.00	2.00	40216	G-09-9904393	0.014
DDH09-27	218.00	220.00	2.00	40217	G-09-9906560	0.021
DDH09-27	220.00	222.00	2.00	40218	G-09-9910894	0.03
DDH09-27	222.00	224.00	2.00	40219	G-09-9913061	0.022
DDH09-27	224.00	226.00	2.00	40220	G-09-9915228	0.016
DDH09-27	226.00	228.00	2.00	40222	G-09-9919562	0.013
DDH09-27	228.00	230.00	2.00	40223	G-09-9921729	0.035
DDH09-27	230.00	232.00	2.00	40224	G-09-9923896	0.096
DDH09-27	232.00	234.00	2.00	40225	G-09-9926063	0.079
DDH09-27	234.00	236.00	2.00	40226	G-09-9930397	0.061
DDH09-27	236.00	238.00	2.00	40227	G-09-9932564	0.02
DDH09-27	238.00	240.00	2.00	40228	G-09-9934731	0.018
DDH09-27	240.00	242.00	2.00	40229	G-09-9936898	0.021
DDH09-27	242.00	244.00	2.00	40230	G-09-9939065	0.035
DDH09-27	244.00	246.00	2.00	40231	G-09-9941232	0.04
DDH09-27	246.00	248.00	2.00	40232	G-09-9945566	0.066
DDH09-27	248.00	250.00	2.00	40233	G-09-9947733	0.064
DDH09-27	250.00	252.00	2.00	40234	G-09-9949900	0.044
DDH09-27	252.00	254.00	2.00	40235	G-09-9952067	0.04
DDH09-27	254.00	256.00	2.00	40236	G-09-9954234	0.018
DDH09-27	256.00	258.00	2.00	40237	G-09-9956401	0.044
DDH09-27	258.00	260.00	2.00	40238	G-09-9960735	0.03
DDH09-27	260.00	262.00	2.00	40239	G-09-10136262	0.042
DDH09-27	262.00	264.00	2.00	40240	G-09-10140596	0.063
DDH09-27	264.00	266.00	2.00	40241	G-09-10142763	0.082
DDH09-27	266.00	268.00	2.00	40242	G-09-10144930	0.063
DDH09-27	268.00	270.00	2.00	40243	G-09-10147097	0.132
DDH09-27	270.00	272.00	2.00	40245	G-09-10151431	0.043
DDH09-27	272.00	274.00	2.00	40246	G-09-10153598	0.043
DDH09-27	274.00	276.00	2.00	40247	G-09-10155765	0.021
DDH09-27	276.00	278.00	2.00	40248	G-09-10157932	0.047
DDH09-27	278.00	280.00	2.00	40249	G-09-10160099	0.054
DDH09-27	280.00	282.00	2.00	40250	G-09-10164433	0.858
DDH09-27	282.00	284.00	2.00	40251	G-09-10166600	0.13
DDH09-27	284.00	286.00	2.00	40252	G-09-10168767	0.031
DDH09-27	286.00	288.00	2.00	40253	G-09-10170934	0.374
DDH09-27	288.00	290.00	2.00	40254	G-09-10173101	4.945
DDH09-27	290.00	292.00	2.00	40255	G-09-10177435	0.034
DDH09-27	292.00	294.00	2.00	40256	G-09-10179602	0.05
DDH09-27	294.00	296.00	2.00	40257	G-09-10181769	0.038
DDH09-27	296.00	298.00	2.00	40258	G-09-10183936	0.105
DDH09-27	298.00	300.00	2.00	40259	G-09-10186103	0.03
DDH09-27	300.00	302.00	2.00	40260	G-09-10188270	0.02
DDH09-27	302.00	304.00	2.00	40261	G-09-10192604	0.161
DDH09-27	304.00	306.00	2.00	40262	G-09-10194771	0.019
DDH09-27	306.00	308.00	2.00	40263	G-09-10196938	0.025
DDH09-27	308.00	310.00	2.00	40264	G-09-10199105	0.027
DDH09-27	310.00	312.00	2.00	40265	G-09-10201272	0.022
DDH09-27	312.00	314.00	2.00	40267	G-09-10205606	0.016
DDH09-27	314.00	316.00	2.00	40268	G-09-10207773	0.02

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-27	316.00	318.00	2.00	40269	G-09-10209940	0.014
DDH09-27	318.00	320.00	2.00	40270	G-09-10212107	0.009
DDH09-27	320.00	322.00	2.00	40271	G-09-10214274	0.005
DDH09-27	322.00	324.00	2.00	40272	G-09-10216441	<0.005
DDH09-27	324.00	326.00	2.00	40273	G-09-10220775	0.01
DDH09-27	326.00	328.00	2.00	40274	G-09-10222942	0.017
DDH09-27	328.00	330.00	2.00	40275	G-09-10225109	0.032
DDH09-27	330.00	332.00	2.00	40276	G-09-10227276	0.048
DDH09-27	332.00	334.00	2.00	40277	G-09-10229443	0.2
DDH09-27	334.00	336.00	2.00	40278	G-09-10233777	0.051
DDH09-27	336.00	338.00	2.00	40279	G-09-10235944	0.069
DDH09-27	338.00	340.00	2.00	40280	G-09-10238111	0.049
DDH09-27	340.00	342.00	2.00	40282	G-09-10242445	0.143
DDH09-27	342.00	344.00	2.00	40283	G-09-10244612	0.079
DDH09-27	344.00	346.00	2.00	40284	G-09-10246779	0.102
DDH09-27	346.00	348.00	2.00	40285	G-09-10248946	0.052
DDH09-27	348.00	350.00	2.00	40286	G-09-10251113	0.041
DDH09-27	350.00	352.00	2.00	40287	G-09-10255447	0.389
DDH09-27	352.00	354.00	2.00	40288	G-09-10257614	0.088
DDH09-27	354.00	356.00	2.00	40289	G-09-10259781	1.051
DDH09-27	356.00	358.00	2.00	40290	G-09-10261948	0.92
DDH09-27	358.00	360.00	2.00	40291	G-09-10264115	0.123
DDH09-27	360.00	362.00	2.00	40292	G-09-10266282	0.041
DDH09-27	362.00	364.00	2.00	40293	G-09-10270616	0.015
DDH09-27	364.00	366.00	2.00	40294	G-09-10272783	0.152
DDH09-27	366.00	368.00	2.00	40295	G-09-10274950	0.016
DDH09-27	368.00	370.00	2.00	40296	G-09-10277117	0.275
DDH09-27	370.00	372.00	2.00	40297	G-09-10279284	0.274
DDH09-27	372.00	374.00	2.00	40298	G-09-10281451	0.135
DDH09-27	374.00	376.00	2.00	40299	G-09-10285785	0.095
DDH09-27	376.00	378.00	2.00	40300	G-09-10383300	0.055
DDH09-27	378.00	380.00	2.00	40301	G-09-10385467	0.103
DDH09-27	380.00	382.00	2.00	40302	G-09-10387634	0.244
DDH09-27	382.00	384.00	2.00	40303	G-09-10389801	0.33
DDH09-27	384.00	386.00	2.00	40304	G-09-10394135	2.228
DDH09-27	386.00	388.00	2.00	40305	G-09-10396302	1.243
DDH09-27	388.00	390.00	2.00	40306	G-09-10398469	0.12
DDH09-27	390.00	392.00	2.00	40307	G-09-10400636	0.7
DDH09-27	392.00	394.00	2.00	40308	G-09-10402803	0.064
DDH09-27	394.00	396.00	2.00	40310	G-09-10407137	0.044
DDH09-27	396.00	398.00	2.00	40311	G-09-10409304	0.017
DDH09-27	398.00	400.00	2.00	40312	G-09-10411471	0.017
DDH09-27	400.00	402.00	2.00	40313	G-09-10413638	0.024
DDH09-27	402.00	404.00	2.00	40314	G-09-10417972	0.014
DDH09-27	404.00	406.00	2.00	40315	G-09-10420139	0.017
DDH09-27	406.00	408.00	2.00	40316	G-09-10422306	0.148
DDH09-27	408.00	410.00	2.00	40317	G-09-10424473	0.048
DDH09-27	410.00	412.00	2.00	40318	G-09-10426640	0.027
DDH09-27	412.00	414.00	2.00	40319	G-09-10430974	0.043
DDH09-27	414.00	416.00	2.00	40320	G-09-10433141	0.018
DDH09-27	416.00	418.00	2.00	40321	G-09-10435308	0.021
DDH09-27	418.00	420.00	2.00	40323	G-09-10439642	0.069
DDH09-27	420.00	422.00	2.00	40324	G-09-10441809	0.011
DDH09-27	422.00	424.00	2.00	40325	G-09-10443976	0.019
DDH09-27	424.00	426.00	2.00	40326	G-09-10446143	<0.005
DDH09-27	426.00	428.00	2.00	40327	G-09-10448310	<0.005
DDH09-27	428.00	430.00	2.00	40328	G-09-10452644	0.012

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-27	430.00	430.70	0.70	40329	G-09-10454811	0.007
		EOH				