

OLLACHEA PROJECT						
2009 SCOUT DIAMOND DRILLING PROGRAM						
DRILLHOLE DDH09-29 Assays Results						
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-29	10.20	12.00	2.00	40580	G-09-9165446	0.011
DDH09-29	12.00	14.00	2.00	40581	G-09-9167613	0.01
DDH09-29	14.00	16.00	2.00	40582	G-09-9169780	0.013
DDH09-29	16.00	18.00	2.00	40583	G-09-9171947	0.014
DDH09-29	18.00	20.00	2.00	40584	G-09-9174114	0.009
DDH09-29	20.00	22.00	2.00	40585	G-09-9176281	0.008
DDH09-29	22.00	24.00	2.00	40586	G-09-9180615	0.013
DDH09-29	24.00	26.00	2.00	40587	G-09-9182782	0.008
DDH09-29	26.00	28.00	2.00	40588	G-09-9184949	0.01
DDH09-29	28.00	30.00	2.00	40590	G-09-9189283	0.007
DDH09-29	30.00	32.00	2.00	40591	G-09-9191450	0.011
DDH09-29	32.00	34.00	2.00	40592	G-09-9193617	0.008
DDH09-29	34.00	36.00	2.00	40593	G-09-9195784	0.006
DDH09-29	36.00	38.00	2.00	40594	G-09-9197951	0.008
DDH09-29	38.00	40.00	2.00	40595	G-09-9200118	0.014
DDH09-29	40.00	42.00	2.00	40596	G-09-9204452	0.014
DDH09-29	42.00	44.00	2.00	40597	G-09-9206619	0.032
DDH09-29	44.00	46.00	2.00	40598	G-09-9208786	0.022
DDH09-29	46.00	48.00	2.00	40599	G-09-9210953	0.014
DDH09-29	48.00	50.00	2.00	40600	G-09-9213120	0.041
DDH09-29	50.00	52.00	2.00	40601	G-09-9215287	0.048
DDH09-29	52.00	54.00	2.00	40602	G-09-9217454	0.019
DDH09-29	54.00	56.00	2.00	40603	G-09-9221788	0.168
DDH09-29	56.00	58.00	2.00	40604	G-09-9223955	0.177
DDH09-29	58.00	60.00	2.00	40605	G-09-9226122	0.021
DDH09-29	60.00	62.00	2.00	40606	G-09-9228289	0.015
DDH09-29	62.00	64.00	2.00	40607	G-09-9230456	0.029
DDH09-29	64.00	66.00	2.00	40608	G-09-9232623	0.018
DDH09-29	66.00	68.00	2.00	40609	G-09-9236957	0.016
DDH09-29	68.00	70.00	2.00	40610	G-09-9239124	0.013
DDH09-29	70.00	72.00	2.00	40611	G-09-9241291	0.02
DDH09-29	72.00	74.00	2.00	40613	G-09-9245625	0.153
DDH09-29	74.00	76.00	2.00	40614	G-09-9247792	0.094
DDH09-29	76.00	78.00	2.00	40615	G-09-9249959	0.032
DDH09-29	78.00	80.00	2.00	40616	G-09-9252126	0.016
DDH09-29	80.00	82.00	2.00	40617	G-09-9275963	0.012
DDH09-29	82.00	84.00	2.00	40618	G-09-9278130	0.052
DDH09-29	84.00	86.00	2.00	40619	G-09-9282464	0.044
DDH09-29	86.00	87.10	1.10	40620	G-09-9284631	0.016
DDH09-29	87.10	88.00	0.90	40621	G-09-9286798	0.009
DDH09-29	88.00	90.00	2.00	40622	G-09-9288965	0.038
DDH09-29	90.00	92.00	2.00	40623	G-09-9291132	0.028
DDH09-29	92.00	94.00	2.00	40624	G-09-9293299	0.015
DDH09-29	94.00	96.00	2.00	40625	G-09-9295466	0.025
DDH09-29	96.00	98.00	2.00	40626	G-09-9297633	0.026
DDH09-29	98.00	100.00	2.00	40627	G-09-9301967	0.012
DDH09-29	100.00	102.00	2.00	40628	G-09-9304134	0.184
DDH09-29	102.00	104.00	2.00	40629	G-09-9306301	0.189
DDH09-29	104.00	106.00	2.00	40630	G-09-9308468	0.098
DDH09-29	106.00	108.00	2.00	40631	G-09-9310635	0.018
DDH09-29	108.00	110.00	2.00	40632	G-09-9312802	0.164
DDH09-29	110.00	112.00	2.00	40633	G-09-9314969	0.036
DDH09-29	112.00	114.00	2.00	40634	G-09-9319303	0.17
DDH09-29	114.00	116.00	2.00	40635	G-09-9321470	0.069

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-29	116.00	117.00	1.00	40636	G-09-9323637	0.257
DDH09-29	117.00	118.00	1.00	40637	G-09-9325804	0.014
DDH09-29	118.00	118.80	0.80	40638	G-09-9327971	0.027
DDH09-29	118.80	120.00	1.20	40639	G-09-9330138	0.037
DDH09-29	120.00	122.00	2.00	40640	G-09-9332305	0.016
DDH09-29	122.00	124.00	2.00	40642	G-09-9336639	0.111
DDH09-29	124.00	126.00	2.00	40643	G-09-9338806	0.014
DDH09-29	126.00	128.00	2.00	40644	G-09-9340973	0.034
DDH09-29	128.00	130.00	2.00	40645	G-09-9343140	0.037
DDH09-29	130.00	132.00	2.00	40646	G-09-9633518	0.361
DDH09-29	132.00	134.00	2.00	40647	G-09-9635685	0.026
DDH09-29	134.00	136.00	2.00	40648	G-09-9637852	0.026
DDH09-29	136.00	138.00	2.00	40649	G-09-9642186	0.02
DDH09-29	138.00	140.00	2.00	40650	G-09-9644353	0.015
DDH09-29	140.00	142.00	2.00	40651	G-09-9646520	0.021
DDH09-29	142.00	144.00	2.00	40652	G-09-9648687	0.028
DDH09-29	144.00	146.00	2.00	40653	G-09-9650854	0.023
DDH09-29	146.00	148.00	2.00	40655	G-09-9655188	0.056
DDH09-29	148.00	150.00	2.00	40656	G-09-9657355	0.031
DDH09-29	150.00	152.00	2.00	40657	G-09-9659522	0.029
DDH09-29	152.00	153.10	1.10	40658	G-09-9661689	0.14
DDH09-29	153.10	154.00	0.90	40659	G-09-9663856	0.078
DDH09-29	154.00	155.10	1.10	40660	G-09-9668190	0.018
DDH09-29	155.10	156.00	0.90	40661	G-09-9670357	0.019
DDH09-29	156.00	158.00	2.00	40662	G-09-9672524	0.129
DDH09-29	158.00	160.00	2.00	40663	G-09-9674691	0.038
DDH09-29	160.00	162.00	2.00	40664	G-09-9676858	0.089
DDH09-29	162.00	164.00	2.00	40665	G-09-9679025	0.038
DDH09-29	164.00	166.00	2.00	40666	G-09-9683359	0.081
DDH09-29	166.00	168.00	2.00	40667	G-09-9685526	0.024
DDH09-29	168.00	170.00	2.00	40668	G-09-9687693	0.018
DDH09-29	170.00	172.00	2.00	40669	G-09-9689860	0.02
DDH09-29	172.00	174.00	2.00	40671	G-09-9694194	0.05
DDH09-29	174.00	176.00	2.00	40672	G-09-9696361	0.025
DDH09-29	176.00	178.00	2.00	40673	G-09-9698528	0.015
DDH09-29	178.00	180.00	2.00	40674	G-09-9700695	0.012
DDH09-29	180.00	182.00	2.00	40675	G-09-9705029	0.011
DDH09-29	182.00	184.00	2.00	40676	G-09-9707196	0.016
DDH09-29	184.00	186.00	2.00	40677	G-09-9709363	0.011
DDH09-29	186.00	188.00	2.00	40678	G-09-9711530	0.023
DDH09-29	188.00	190.00	2.00	40679	G-09-9713697	0.031
DDH09-29	190.00	192.00	2.00	40680	G-09-9715864	0.021
DDH09-29	192.00	194.00	2.00	40681	G-09-9718031	0.078
DDH09-29	194.00	196.00	2.00	40682	G-09-9720198	0.027
DDH09-29	196.00	198.00	2.00	40683	G-09-9724532	0.115
DDH09-29	198.00	200.00	2.00	40684	G-09-9726699	0.371
DDH09-29	200.00	202.00	2.00	40685	G-09-9728866	0.016
DDH09-29	202.00	204.00	2.00	40686	G-09-9731033	0.272
DDH09-29	204.00	206.00	2.00	40687	G-09-9733200	0.441
DDH09-29	206.00	208.00	2.00	40688	G-09-9735367	0.128
DDH09-29	208.00	210.00	2.00	40689	G-09-9737534	0.017
DDH09-29	210.00	212.00	2.00	40690	G-09-9739701	0.09
DDH09-29	212.00	214.00	2.00	40691	G-09-9744035	0.043
DDH09-29	214.00	216.00	2.00	40692	G-09-9746202	0.057
DDH09-29	216.00	216.80	0.80	40693	G-09-9748369	0.613
DDH09-29	216.80	218.00	1.20	40694	G-09-9750536	0.715
DDH09-29	218.00	220.00	2.00	40695	G-09-9752703	0.117

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-29	220.00	222.00	2.00	40697	G-09-9757037	0.028
DDH09-29	222.00	224.00	2.00	40698	G-09-9759204	0.019
DDH09-29	224.00	226.00	2.00	40699	G-09-9761371	0.097
DDH09-29	226.00	228.00	2.00	40700	G-09-9763538	0.181
DDH09-29	228.00	230.00	2.00	40701	G-09-9765705	0.077
DDH09-29	230.00	232.00	2.00	40702	G-09-9767872	0.06
DDH09-29	232.00	234.00	2.00	40703	G-09-9770039	0.488
DDH09-29	234.00	236.00	2.00	40704	G-09-9774373	0.315
DDH09-29	236.00	238.00	2.00	40705	G-09-9776540	0.163
DDH09-29	238.00	240.00	2.00	40706	G-09-9778707	0.287
DDH09-29	240.00	242.00	2.00	40707	G-09-9780874	0.071
DDH09-29	242.00	244.00	2.00	40708	G-09-9783041	0.534
DDH09-29	244.00	246.00	2.00	40709	G-09-9785208	0.133
DDH09-29	246.00	248.00	2.00	40710	G-09-9787375	0.072
DDH09-29	248.00	250.00	2.00	40712	G-09-9791709	0.58
DDH09-29	250.00	252.00	2.00	40713	G-09-9793876	0.062
DDH09-29	252.00	254.00	2.00	40714	G-09-9796043	0.031
DDH09-29	254.00	256.00	2.00	40715	G-09-9798210	1.545
DDH09-29	256.00	258.00	2.00	40716	G-09-9800377	0.2
DDH09-29	258.00	260.00	2.00	40717	G-09-9804711	3.858
DDH09-29	260.00	262.00	2.00	40718	G-09-9962902	1.231
DDH09-29	262.00	264.00	2.00	40719	G-09-9965069	1.397
DDH09-29	264.00	266.00	2.00	40720	G-09-9969403	3.046
DDH09-29	266.00	268.00	2.00	40721	G-09-9971570	1.08
DDH09-29	268.00	270.00	2.00	40722	G-09-9973737	0.018
DDH09-29	270.00	272.00	2.00	40723	G-09-9975904	0.036
DDH09-29	272.00	274.00	2.00	40724	G-09-9978071	0.074
DDH09-29	274.00	276.00	2.00	40725	G-09-9982405	0.022
DDH09-29	276.00	278.00	2.00	40726	G-09-9984572	0.136
DDH09-29	278.00	280.00	2.00	40727	G-09-9986739	0.072
DDH09-29	280.00	282.00	2.00	40728	G-09-9988906	0.048
DDH09-29	282.00	284.00	2.00	40729	G-09-9991073	0.088
DDH09-29	284.00	286.00	2.00	40731	G-09-9995407	0.188
DDH09-29	286.00	288.00	2.00	40732	G-09-9997574	0.017
DDH09-29	288.00	290.00	2.00	40733	G-09-9999741	0.081
DDH09-29	290.00	292.00	2.00	40734	G-09-10001908	0.137
DDH09-29	292.00	294.00	2.00	40735	G-09-10004075	6.214
DDH09-29	294.00	296.00	2.00	40736	G-09-10006242	2.871
DDH09-29	296.00	298.00	2.00	40737	G-09-10010576	4.199
DDH09-29	298.00	300.00	2.00	40738	G-09-10012743	0.028
DDH09-29	300.00	302.00	2.00	40739	G-09-10014910	0.042
DDH09-29	302.00	304.00	2.00	40740	G-09-10017077	0.041
DDH09-29	304.00	306.00	2.00	40741	G-09-10019244	0.619
DDH09-29	306.00	308.00	2.00	40742	G-09-10021411	0.082
DDH09-29	308.00	310.00	2.00	40743	G-09-10023578	0.274
DDH09-29	310.00	312.00	2.00	40744	G-09-10027912	0.014
DDH09-29	312.00	314.00	2.00	40745	G-09-10030079	0.02
DDH09-29	314.00	316.00	2.00	40746	G-09-10032246	0.011
DDH09-29	316.00	318.00	2.00	40747	G-09-10034413	0.015
DDH09-29	318.00	320.00	2.00	40748	G-09-10036580	0.034
DDH09-29	320.00	322.00	2.00	40749	G-09-10038747	0.009
DDH09-29	322.00	324.00	2.00	40750	G-09-10040914	0.048
DDH09-29	324.00	326.00	2.00	40751	G-09-10043081	0.05
DDH09-29	326.00	328.00	2.00	40752	G-09-10045248	0.016
DDH09-29	328.00	330.00	2.00	40754	G-09-10049582	0.014
DDH09-29	330.00	332.00	2.00	40755	G-09-10051749	0.065
DDH09-29	332.00	334.00	2.00	40756	G-09-10053916	0.134

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-29	334.00	336.00	2.00	40757	G-09-10058250	0.048
DDH09-29	336.00	338.00	2.00	40758	G-09-10060417	0.153
DDH09-29	338.00	340.00	2.00	40759	G-09-10062584	0.043
DDH09-29	340.00	342.00	2.00	40760	G-09-10064751	0.043
DDH09-29	342.00	342.60	0.60	40761	G-09-10066918	0.009
DDH09-29	342.60	344.00	1.40	40762	G-09-10069085	0.184
DDH09-29	344.00	346.00	2.00	40763	G-09-10071252	0.058
DDH09-29	346.00	348.00	2.00	40764	G-09-10075586	0.082
DDH09-29	348.00	350.00	2.00	40765	G-09-10077753	0.79
DDH09-29	350.00	352.00	2.00	40766	G-09-10079920	0.687
DDH09-29	352.00	354.00	2.00	40767	G-09-10082087	1.174
DDH09-29	354.00	356.00	2.00	40768	G-09-10084254	2.057
DDH09-29	356.00	358.00	2.00	40770	G-09-10088588	0.061
DDH09-29	358.00	360.00	2.00	40771	G-09-10090755	0.148
DDH09-29	360.00	362.00	2.00	40772	G-09-10092922	0.024
DDH09-29	362.00	364.00	2.00	40773	G-09-10095089	0.368
DDH09-29	364.00	366.00	2.00	40774	G-09-10097256	0.043
DDH09-29	366.00	368.00	2.00	40775	G-09-10099423	3.664
DDH09-29	368.00	370.00	2.00	40776	G-09-10103757	0.3
DDH09-29	370.00	372.00	2.00	40777	G-09-10105924	0.054
DDH09-29	372.00	374.00	2.00	40778	G-09-10108091	0.419
DDH09-29	374.00	376.00	2.00	40779	G-09-10110258	0.731
DDH09-29	376.00	378.00	2.00	40780	G-09-10112425	0.13
DDH09-29	378.00	380.00	2.00	40781	G-09-10114592	0.084
DDH09-29	380.00	382.00	2.00	40782	G-09-10118926	0.037
DDH09-29	382.00	384.00	2.00	40783	G-09-10121093	0.033
DDH09-29	384.00	386.00	2.00	40784	G-09-10123260	0.023
DDH09-29	386.00	388.00	2.00	40785	G-09-10125427	0.065
DDH09-29	388.00	390.00	2.00	40786	G-09-10127594	0.059
DDH09-29	390.00	392.00	2.00	40787	G-09-10129761	0.225
DDH09-29	392.00	393.90	1.90	40788	G-09-10134095	0.013
		EOH				