

OLLACHEA PROJECT						
2009 SCOUT DIAMOND DRILLING PROGRAM						
DRILLHOLE DDH09-19 : Au Assays Results						
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-19	13.65	14.00	0.35	39726	G-09-8103616	0.005
DDH09-19	14.00	16.00	2.00	39727	G-09-8105783	0.013
DDH09-19	16.00	18.00	2.00	39728	G-09-8110117	0.016
DDH09-19	18.00	20.00	2.00	39729	G-09-8112284	0.06
DDH09-19	20.00	22.00	2.00	39730	G-09-8114451	0.044
DDH09-19	22.00	24.00	2.00	39731	G-09-8116618	0.01
DDH09-19	24.00	26.00	2.00	39732	G-09-8118785	0.015
DDH09-19	26.00	28.00	2.00	39733	G-09-8120952	0.014
DDH09-19	28.00	30.00	2.00	39734	G-09-8123119	0.036
DDH09-19	30.00	32.00	2.00	39735	G-09-8127453	0.007
DDH09-19	32.00	34.00	2.00	39736	G-09-8129620	0.008
DDH09-19	34.00	36.00	2.00	39737	G-09-8131787	0.017
DDH09-19	36.00	38.00	2.00	39738	G-09-8133954	0.009
DDH09-19	38.00	40.00	2.00	39739	G-09-8136121	0.024
DDH09-19	40.00	42.00	2.00	39740	G-09-8138288	0.049
DDH09-19	42.00	44.00	2.00	39741	G-09-8140455	0.029
DDH09-19	44.00	46.00	2.00	39742	G-09-8142622	0.595
DDH09-19	46.00	48.00	2.00	39744	G-09-8146956	0.044
DDH09-19	48.00	50.00	2.00	39745	G-09-8149123	0.025
DDH09-19	50.00	52.00	2.00	39746	G-09-8151290	0.022
DDH09-19	52.00	54.00	2.00	39747	G-09-8153457	0.032
DDH09-19	54.00	56.00	2.00	39748	G-09-8157791	0.02
DDH09-19	56.00	58.00	2.00	39749	G-09-8192463	0.014
DDH09-19	58.00	60.00	2.00	39750	G-09-8194630	0.017
DDH09-19	60.00	62.00	2.00	39751	G-09-8198964	0.025
DDH09-19	62.00	64.00	2.00	39752	G-09-8201131	0.023
DDH09-19	64.00	66.00	2.00	39753	G-09-8203298	0.026
DDH09-19	66.00	68.00	2.00	39754	G-09-8205465	0.028
DDH09-19	68.00	70.00	2.00	39755	G-09-8207632	0.019
DDH09-19	70.00	72.00	2.00	39756	G-09-8209799	0.024
DDH09-19	72.00	74.00	2.00	39757	G-09-8214133	0.034
DDH09-19	74.00	76.00	2.00	39758	G-09-8216300	0.026
DDH09-19	76.00	78.00	2.00	39759	G-09-8218467	0.033
DDH09-19	78.00	80.00	2.00	39760	G-09-8220634	0.024
DDH09-19	80.00	82.00	2.00	39761	G-09-8222801	0.031
DDH09-19	82.00	84.00	2.00	39763	G-09-8227135	0.011
DDH09-19	84.00	86.00	2.00	39764	G-09-8229302	0.009
DDH09-19	86.00	88.00	2.00	39765	G-09-8231469	0.008
DDH09-19	88.00	90.00	2.00	39766	G-09-8233636	0.107
DDH09-19	90.00	92.00	2.00	39767	G-09-8318149	0.045
DDH09-19	92.00	94.00	2.00	39768	G-09-8322483	0.026
DDH09-19	94.00	96.00	2.00	39769	G-09-8324650	0.033
DDH09-19	96.00	98.00	2.00	39770	G-09-8326817	0.058
DDH09-19	98.00	100.00	2.00	39771	G-09-8328984	0.02
DDH09-19	100.00	102.00	2.00	39772	G-09-8331151	0.121
DDH09-19	102.00	104.00	2.00	39773	G-09-8333318	0.012
DDH09-19	104.00	106.00	2.00	39774	G-09-8337652	0.011
DDH09-19	106.00	108.00	2.00	39775	G-09-8339819	0.014
DDH09-19	108.00	110.00	2.00	39776	G-09-8341986	0.015
DDH09-19	110.00	112.00	2.00	39777	G-09-8344153	0.033
DDH09-19	112.00	114.00	2.00	39778	G-09-8346320	0.024
DDH09-19	114.00	116.00	2.00	39779	G-09-8348487	0.072
DDH09-19	116.00	118.00	2.00	39780	G-09-8350654	0.02
DDH09-19	118.00	120.00	2.00	39782	G-09-8354988	0.015
DDH09-19	120.00	122.00	2.00	39783	G-09-8357155	0.028
DDH09-19	122.00	124.00	2.00	39784	G-09-8359322	0.177
DDH09-19	124.00	126.00	2.00	39785	G-09-8361489	0.047
DDH09-19	126.00	128.00	2.00	39786	G-09-8363656	0.023
DDH09-19	128.00	130.00	2.00	39787	G-09-8365823	0.093
DDH09-19	130.00	132.00	2.00	39788	G-09-8367990	0.015
DDH09-19	132.00	134.00	2.00	39789	G-09-8372324	0.016
DDH09-19	134.00	136.00	2.00	39790	G-09-8374491	0.066
DDH09-19	136.00	138.00	2.00	39791	G-09-8376658	0.094
DDH09-19	138.00	140.00	2.00	39792	G-09-8378825	0.017
DDH09-19	140.00	142.00	2.00	39793	G-09-8380992	0.006
DDH09-19	142.00	144.00	2.00	39795	G-09-8385326	0.007
DDH09-19	144.00	146.00	2.00	39796	G-09-8387493	0.035
DDH09-19	146.00	148.00	2.00	39797	G-09-8389660	0.243
DDH09-19	148.00	150.00	2.00	39798	G-09-8391827	0.642
DDH09-19	150.00	152.00	2.00	39799	G-09-8396161	0.073

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-19	152.00	154.00	2.00	39800	G-09-8443835	0.055
DDH09-19	154.00	156.00	2.00	40451	G-09-8446002	0.816
DDH09-19	156.00	158.00	2.00	40452	G-09-8448169	0.258
DDH09-19	158.00	160.00	2.00	40453	G-09-8452503	0.964
DDH09-19	160.00	162.00	2.00	40454	G-09-8454670	0.696
DDH09-19	162.00	164.00	2.00	40455	G-09-8456837	0.321
DDH09-19	164.00	166.00	2.00	40456	G-09-8459004	0.254
DDH09-19	166.00	168.00	2.00	40457	G-09-8461171	0.305
DDH09-19	168.00	170.00	2.00	40458	G-09-8463338	0.465
DDH09-19	170.00	172.00	2.00	40459	G-09-8467672	0.282
DDH09-19	172.00	174.00	2.00	40460	G-09-8469839	0.214
DDH09-19	174.00	176.00	2.00	40461	G-09-8472006	0.327
DDH09-19	176.00	178.00	2.00	40462	G-09-8474173	0.181
DDH09-19	178.00	180.00	2.00	40464	G-09-8478507	0.11
DDH09-19	180.00	182.00	2.00	40465	G-09-8480674	0.561
DDH09-19	182.00	184.00	2.00	40466	G-09-8482841	0.635
DDH09-19	184.00	186.00	2.00	40467	G-09-8485008	5.752
DDH09-19	186.00	188.00	2.00	40468	G-09-8487175	2.109
DDH09-19	188.00	190.00	2.00	40469	G-09-8491509	3.482
DDH09-19	190.00	191.00	1.00	40470	G-09-8493676	0.317
DDH09-19	191.00	192.00	1.00	40471	G-09-8495843	0.28
DDH09-19	192.00	192.60	0.60	40472	G-09-8498010	0.187
DDH09-19	192.60	194.00	1.40	40473	G-09-8500177	0.471
DDH09-19	194.00	196.00	2.00	40474	G-09-8593358	0.089
DDH09-19	196.00	198.00	2.00	40475	G-09-8597692	4.633
DDH09-19	198.00	200.00	2.00	40476	G-09-8599859	32.8
DDH09-19	200.00	202.00	2.00	40477	G-09-8602026	36.12
DDH09-19	202.00	204.00	2.00	40478	G-09-8604193	18.54
DDH09-19	204.00	206.00	2.00	40479	G-09-8606360	0.673
DDH09-19	206.00	208.00	2.00	40480	G-09-8608527	0.622
DDH09-19	208.00	210.00	2.00	40481	G-09-8612861	0.092
DDH09-19	210.00	212.00	2.00	40482	G-09-8615028	0.035
DDH09-19	212.00	214.00	2.00	40483	G-09-8617195	0.077
DDH09-19	214.00	216.00	2.00	40484	G-09-8619362	0.037
DDH09-19	216.00	218.00	2.00	40485	G-09-8621529	0.026
DDH09-19	218.00	220.00	2.00	40486	G-09-8623696	0.341
DDH09-19	220.00	222.00	2.00	40488	G-09-8628030	0.05
DDH09-19	222.00	224.00	2.00	40489	G-09-8630197	0.127
DDH09-19	224.00	226.00	2.00	40490	G-09-8632364	0.185
DDH09-19	226.00	228.00	2.00	40491	G-09-8634531	1.057
DDH09-19	228.00	230.00	2.00	40492	G-09-8638865	0.119
DDH09-19	230.00	232.00	2.00	40493	G-09-8641032	0.063
DDH09-19	232.00	234.00	2.00	40494	G-09-8643199	0.028
DDH09-19	234.00	236.00	2.00	40495	G-09-8645366	2.113
DDH09-19	236.00	238.00	2.00	40496	G-09-8647533	3.936
DDH09-19	238.00	238.80	0.80	40497	G-09-8649700	0.386
DDH09-19	238.80	240.00	1.20	40498	G-09-8654034	1.237
DDH09-19	240.00	242.00	2.00	40499	G-09-8656201	1.673
DDH09-19	242.00	244.00	2.00	40500	G-09-8658368	0.134
DDH09-19	244.00	246.00	2.00	40501	G-09-8660535	0.234
DDH09-19	246.00	248.00	2.00	40502	G-09-8662702	0.058
DDH09-19	248.00	250.00	2.00	40504	G-09-8667036	0.048
DDH09-19	250.00	252.00	2.00	40505	G-09-8669203	0.048
DDH09-19	252.00	254.00	2.00	40506	G-09-8671370	0.141
DDH09-19	254.00	256.00	2.00	40507	G-09-8673537	0.094
DDH09-19	256.00	258.00	2.00	40508	G-09-8675704	0.273
DDH09-19	258.00	260.00	2.00	40509	G-09-8677871	1.566
DDH09-19	260.00	262.00	2.00	40510	G-09-8680038	0.06
DDH09-19	262.00	264.00	2.00	40511	G-09-8682205	0.11
DDH09-19	264.00	266.00	2.00	40512	G-09-8686539	0.084
DDH09-19	266.00	268.00	2.00	40513	G-09-8688706	0.032
DDH09-19	268.00	270.00	2.00	40514	G-09-8690873	0.159
DDH09-19	270.00	272.00	2.00	40515	G-09-8693040	0.053
DDH09-19	272.00	274.00	2.00	40516	G-09-8695207	0.032
DDH09-19	274.00	276.00	2.00	40517	G-09-8697374	0.039
DDH09-19	276.00	278.00	2.00	40518	G-09-8699541	0.028
DDH09-19	278.00	280.00	2.00	40519	G-09-8701708	0.573
DDH09-19	280.00	282.00	2.00	40520	G-09-8706042	0.527
DDH09-19	282.00	282.90	0.90	40521	G-09-8708209	2.044
DDH09-19	282.90	284.00	1.10	40522	G-09-8710376	0.149
DDH09-19	284.00	286.00	2.00	40523	G-09-8755883	1.464
DDH09-19	286.00	288.00	2.00	40524	G-09-8758050	1.555
DDH09-19	288.00	290.00	2.00	40525	G-09-8760217	1.316

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	SAMPLE_COD	Au_g/t
DDH09-19	290.00	292.00	2.00	40527	G-09-8764551	0.85
DDH09-19	292.00	294.00	2.00	40528	G-09-8766718	0.049
DDH09-19	294.00	296.00	2.00	40529	G-09-8768885	0.462
DDH09-19	296.00	298.00	2.00	40530	G-09-8771052	0.029
DDH09-19	298.00	300.00	2.00	40531	G-09-8773219	<0.005
DDH09-19	300.00	302.00	2.00	40532	G-09-8777553	1.478
DDH09-19	302.00	304.00	2.00	40533	G-09-8779720	0.022
DDH09-19	304.00	306.00	2.00	40534	G-09-8781887	0.584
DDH09-19	306.00	308.00	2.00	40535	G-09-8784054	0.011
DDH09-19	308.00	310.00	2.00	40536	G-09-8786221	0.028
DDH09-19	310.00	312.00	2.00	40537	G-09-8788388	0.007
DDH09-19	312.00	312.80	0.80	40538	G-09-8792722	0.02
DDH09-19	312.80	314.00	1.20	40539	G-09-8794889	0.005
DDH09-19	314.00	316.00	2.00	40540	G-09-8797056	0.014
DDH09-19	316.00	318.00	2.00	40541	G-09-8799223	0.008
DDH09-19	318.00	320.00	2.00	40542	G-09-8801390	0.603
DDH09-19	320.00	322.00	2.00	40543	G-09-8803557	0.02
DDH09-19	322.00	324.00	2.00	40544	G-09-8805724	0.007
DDH09-19	324.00	326.00	2.00	40545	G-09-8810058	0.028
DDH09-19	326.00	328.00	2.00	40546	G-09-8812225	0.021
DDH09-19	328.00	330.00	2.00	40547	G-09-8814392	0.008
DDH09-19	330.00	332.00	2.00	40548	G-09-8816559	1.08
DDH09-19	332.00	334.00	2.00	40549	G-09-8818726	4.819
DDH09-19	334.00	336.00	2.00	40550	G-09-8820893	0.036
DDH09-19	336.00	338.00	2.00	40552	G-09-8825227	0.878
DDH09-19	338.00	340.00	2.00	40553	G-09-8827394	0.218
DDH09-19	340.00	342.00	2.00	40554	G-09-8829561	0.269
DDH09-19	342.00	344.00	2.00	40555	G-09-8894571	0.017
DDH09-19	344.00	346.00	2.00	40556	G-09-8896738	0.067
DDH09-19	346.00	348.00	2.00	40557	G-09-8898905	0.011
DDH09-19	348.00	350.00	2.00	40558	G-09-8901072	0.013
DDH09-19	350.00	352.00	2.00	40559	G-09-8903239	0.006
DDH09-19	352.00	354.00	2.00	40560	G-09-8907573	0.009
DDH09-19	354.00	356.00	2.00	40561	G-09-8909740	0.018
DDH09-19	356.00	358.00	2.00	40562	G-09-8911907	0.012
DDH09-19	358.00	360.00	2.00	40563	G-09-8914074	0.172
DDH09-19	360.00	362.00	2.00	40564	G-09-8916241	0.044
DDH09-19	362.00	364.00	2.00	40565	G-09-8918408	0.013
DDH09-19	364.00	366.00	2.00	40566	G-09-8920575	0.027
DDH09-19	366.00	368.00	2.00	40567	G-09-8922742	0.033
DDH09-19	368.00	370.00	2.00	40569	G-09-9080933	0.032
DDH09-19	370.00	372.00	2.00	40570	G-09-9083100	0.021
DDH09-19	372.00	374.00	2.00	40571	G-09-9085267	0.01
DDH09-19	374.00	376.00	2.00	40572	G-09-9087434	0.048
DDH09-19	376.00	378.00	2.00	40573	G-09-9089601	0.034
DDH09-19	378.00	380.00	2.00	40574	G-09-9091768	<0.005
DDH09-19	380.00	382.00	2.00	40575	G-09-9096102	0.013
DDH09-19	382.00	384.00	2.00	40576	G-09-9098269	0.013
DDH09-19	384.00	386.00	2.00	40577	G-09-9100436	0.023
DDH09-19	386.00	388.00	2.00	40578	G-09-9102603	<0.005
DDH09-19	388.00	389.10	1.10	40579	G-09-9104770	0.009

EOH