

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-52 : Au Assays Results					
HOLE ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-52	10.00	15.00	5.00	49610	<0.005
DDH09-52	15.00	20.00	5.00	49611	0.02
DDH09-52	20.00	25.00	5.00	49612	0.025
DDH09-52	25.00	30.00	5.00	49613	0.006
DDH09-52	30.00	35.00	5.00	49614	<0.005
DDH09-52	35.00	40.00	5.00	49615	0.01
DDH09-52	40.00	45.00	5.00	49616	0.006
DDH09-52	45.00	50.00	5.00	49617	0.014
DDH09-52	50.00	55.00	5.00	49618	0.056
DDH09-52	55.00	60.00	5.00	49619	0.138
DDH09-52	60.00	65.00	5.00	49620	0.013
DDH09-52	65.00	70.00	5.00	49621	0.105
DDH09-52	70.00	75.00	5.00	49622	0.061
DDH09-52	75.00	80.00	5.00	49624	0.194
DDH09-52	80.00	85.00	5.00	49625	0.047
DDH09-52	85.00	90.00	5.00	49626	0.009
DDH09-52	90.00	95.00	5.00	49627	0.044
DDH09-52	95.00	100.00	5.00	49628	0.035
DDH09-52	100.00	105.00	5.00	49629	0.724
DDH09-52	105.00	110.00	5.00	49630	0.392
DDH09-52	110.00	115.00	5.00	49631	0.016
DDH09-52	115.00	120.00	5.00	49632	0.046
DDH09-52	120.00	125.00	5.00	49634	0.116
DDH09-52	125.00	130.00	5.00	49635	0.032
DDH09-52	130.00	135.00	5.00	49636	0.02
DDH09-52	135.00	140.00	5.00	49637	0.025
DDH09-52	140.00	145.00	5.00	49638	0.01
DDH09-52	145.00	150.00	5.00	49639	0.01
DDH09-52	150.00	152.00	2.00	49640	0.328
DDH09-52	152.00	155.00	3.00	49642	0.02
DDH09-52	155.00	160.00	5.00	49643	0.182
DDH09-52	160.00	165.00	5.00	49644	0.053
DDH09-52	165.00	170.00	5.00	49645	0.047
DDH09-52	170.00	175.00	5.00	49646	0.011
DDH09-52	175.00	180.00	5.00	49647	<0.005
DDH09-52	180.00	185.00	5.00	49648	0.012
DDH09-52	185.00	190.00	5.00	49650	0.06
DDH09-52	190.00	192.00	2.00	49651	1.587
DDH09-52	192.00	194.00	2.00	49652	0.036
DDH09-52	194.00	196.00	2.00	49653	0.34
DDH09-52	196.00	198.00	2.00	49654	0.014
DDH09-52	198.00	200.00	2.00	49655	0.01
DDH09-52	200.00	202.00	2.00	49656	0.046
DDH09-52	202.00	204.00	2.00	49657	0.025
DDH09-52	204.00	206.00	2.00	49658	0.024
DDH09-52	206.00	208.00	2.00	49659	0.019
DDH09-52	208.00	210.00	2.00	49660	0.019
DDH09-52	210.00	211.00	1.00	49661	0.033
DDH09-52	211.00	212.00	1.00	49662	0.237
DDH09-52	212.00	213.00	1.00	49663	0.016
DDH09-52	213.00	214.00	1.00	49664	0.054
DDH09-52	214.00	215.00	1.00	49665	0.15
DDH09-52	215.00	216.00	1.00	49667	0.075
DDH09-52	216.00	217.00	1.00	49668	0.03
DDH09-52	217.00	218.00	1.00	49669	0.144
DDH09-52	218.00	219.00	1.00	49670	0.018
DDH09-52	219.00	220.00	1.00	49671	0.005
DDH09-52	220.00	221.00	1.00	49672	0.011
DDH09-52	221.00	222.00	1.00	49673	0.025
DDH09-52	222.00	223.00	1.00	49674	0.016
DDH09-52	223.00	224.00	1.00	49675	0.029
DDH09-52	224.00	225.00	1.00	49677	<0.005
DDH09-52	225.00	226.00	1.00	49678	0.014
DDH09-52	226.00	227.00	1.00	49679	0.023
DDH09-52	227.00	228.00	1.00	49680	3.873

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-52	228.00	229.00	1.00	49681	0.22
DDH09-52	229.00	230.00	1.00	49682	0.083
DDH09-52	230.00	231.00	1.00	49683	0.037
DDH09-52	231.00	232.00	1.00	49685	0.067
DDH09-52	232.00	233.00	1.00	49686	0.069
DDH09-52	233.00	234.00	1.00	49687	0.111
DDH09-52	234.00	235.00	1.00	49688	0.04
DDH09-52	235.00	236.00	1.00	49689	0.019
DDH09-52	236.00	237.00	1.00	49690	0.069
DDH09-52	237.00	238.00	1.00	49691	0.073
DDH09-52	238.00	239.00	1.00	49693	0.06
DDH09-52	239.00	240.00	1.00	49694	0.302
DDH09-52	240.00	241.00	1.00	49695	0.26
DDH09-52	241.00	242.00	1.00	49696	0.121
DDH09-52	242.00	243.00	1.00	49697	0.009
DDH09-52	243.00	244.00	1.00	49698	0.182
DDH09-52	244.00	245.00	1.00	49699	0.182
DDH09-52	245.00	246.00	1.00	49700	0.057
DDH09-52	246.00	247.00	1.00	49701	0.121
DDH09-52	247.00	248.00	1.00	49702	0.094
DDH09-52	248.00	249.00	1.00	49704	0.081
DDH09-52	249.00	250.00	1.00	49705	0.044
DDH09-52	250.00	251.00	1.00	49706	0.168
DDH09-52	251.00	252.00	1.00	49707	0.208
DDH09-52	252.00	253.00	1.00	49708	1.065
DDH09-52	253.00	254.00	1.00	49709	0.238
DDH09-52	254.00	255.00	1.00	49711	0.016
DDH09-52	255.00	256.00	1.00	49712	0.057
DDH09-52	256.00	257.00	1.00	49713	0.034
DDH09-52	257.00	258.00	1.00	49714	0.038
DDH09-52	258.00	259.00	1.00	49715	0.11
DDH09-52	259.00	260.00	1.00	49716	0.014
DDH09-52	260.00	261.00	1.00	49717	0.2
DDH09-52	261.00	262.00	1.00	49718	0.119
DDH09-52	262.00	263.00	1.00	49719	0.027
DDH09-52	263.00	263.50	0.50	49721	0.02
DDH09-52	263.50	264.00	0.50	49722	0.011
DDH09-52	264.00	265.00	1.00	49723	0.03
DDH09-52	265.00	266.00	1.00	49724	0.025
DDH09-52	266.00	267.00	1.00	49725	0.033
DDH09-52	267.00	268.00	1.00	49727	0.042
DDH09-52	268.00	269.00	1.00	49728	0.062
DDH09-52	269.00	270.00	1.00	49729	0.107
DDH09-52	270.00	271.00	1.00	49730	0.05
DDH09-52	271.00	272.00	1.00	49731	0.065
DDH09-52	272.00	273.00	1.00	49732	0.05
DDH09-52	273.00	274.00	1.00	49733	0.021
DDH09-52	274.00	275.00	1.00	49735	0.065
DDH09-52	275.00	276.00	1.00	49736	0.104
DDH09-52	276.00	277.00	1.00	49737	0.075
DDH09-52	277.00	278.00	1.00	49738	0.033
DDH09-52	278.00	279.00	1.00	49739	0.042
DDH09-52	279.00	280.00	1.00	49740	0.071
DDH09-52	280.00	281.00	1.00	49741	0.049
DDH09-52	281.00	282.00	1.00	49743	0.056
DDH09-52	282.00	283.00	1.00	49744	0.131
DDH09-52	283.00	284.00	1.00	49745	0.04
DDH09-52	284.00	285.00	1.00	49746	0.097
DDH09-52	285.00	286.00	1.00	49747	0.374
DDH09-52	286.00	287.00	1.00	49748	0.061
DDH09-52	287.00	288.00	1.00	49749	0.074
DDH09-52	288.00	289.00	1.00	49751	0.092
DDH09-52	289.00	289.50	0.50	49752	0.11
DDH09-52	289.50	290.00	0.50	49753	0.079
DDH09-52	290.00	290.50	0.50	49754	0.202
DDH09-52	290.50	291.00	0.50	49755	1.122
DDH09-52	291.00	292.00	1.00	49756	0.636
DDH09-52	292.00	294.00	2.00	49757	3.002

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-52	294.00	296.00	2.00	49759	17.39
DDH09-52	296.00	298.00	2.00	49760	2.301
DDH09-52	298.00	300.00	2.00	49761	0.394
DDH09-52	300.00	302.00	2.00	49762	0.384
DDH09-52	302.00	303.00	1.00	49763	0.019
DDH09-52	303.00	304.00	1.00	49764	0.425
DDH09-52	304.00	305.00	1.00	49765	0.29
DDH09-52	305.00	306.00	1.00	49766	0.029
DDH09-52	306.00	308.00	2.00	49768	0.217
DDH09-52	308.00	310.00	2.00	49769	1.769
DDH09-52	310.00	313.00	3.00	49770	0.069
DDH09-52	313.00	315.00	2.00	49771	1.685
DDH09-52	315.00	318.00	3.00	49772	6.259
DDH09-52	318.00	320.00	2.00	49773	1.28
DDH09-52	320.00	325.00	5.00	49775	0.224
DDH09-52	325.00	325.50	0.50	49776	1.851
DDH09-52	325.50	330.00	4.50	49777	0.239
DDH09-52	330.00	335.00	5.00	49778	0.467
DDH09-52	335.00	338.00	3.00	49779	2.326
DDH09-52	338.00	340.00	2.00	49780	0.054
DDH09-52	340.00	342.00	2.00	49781	0.015
DDH09-52	342.00	342.50	0.50	49782	0.065
DDH09-52	342.50	345.00	2.50	49783	0.504
DDH09-52	345.00	350.00	5.00	49785	0.269
DDH09-52	350.00	355.00	5.00	49786	0.331
DDH09-52	355.00	359.00	4.00	49787	1.448
DDH09-52	359.00	360.00	1.00	49788	0.039
DDH09-52	360.00	365.00	5.00	49789	0.019
DDH09-52	365.00	367.00	2.00	49791	0.499
DDH09-52	367.00	370.00	3.00	49792	<0.005
DDH09-52	370.00	373.65	3.65	49793	<0.005
DDH09-52	373.65	374.00	0.35	56507	<0.005
DDH09-52	374.00	375.00	1.00	56508	<0.005
DDH09-52	375.00	376.00	1.00	56509	0.012
DDH09-52	376.00	377.00	1.00	56510	<0.005
DDH09-52	377.00	378.00	1.00	56511	0.395
DDH09-52	378.00	379.00	1.00	56513	0.019
DDH09-52	379.00	379.50	0.50	56514	0.017
DDH09-52	379.50	380.00	0.50	56515	0.257
DDH09-52	380.00	380.50	0.50	56516	0.023
DDH09-52	380.50	381.00	0.50	56517	0.166
DDH09-52	381.00	381.50	0.50	56518	0.02
DDH09-52	381.50	382.00	0.50	56519	<0.005
DDH09-52	382.00	382.50	0.50	56521	0.024
DDH09-52	382.50	383.00	0.50	56522	0.038
DDH09-52	383.00	384.00	1.00	56523	0.032
DDH09-52	384.00	385.00	1.00	56524	0.013
DDH09-52	385.00	386.00	1.00	56525	0.107
DDH09-52	386.00	387.00	1.00	56526	0.036
DDH09-52	387.00	387.80	0.80	56527	0.087
DDH09-52	387.80	389.00	1.20	56528	0.027
DDH09-52	389.00	390.00	1.00	56530	0.008
DDH09-52	390.00	391.50	1.50	56531	0.022
DDH09-52	391.50	392.00	0.50	56532	9.985
DDH09-52	392.00	393.00	1.00	56533	3.939
DDH09-52	393.00	394.00	1.00	56534	9.507
DDH09-52	394.00	394.50	0.50	56535	11.1
DDH09-52	394.50	395.00	0.50	56537	9.672
DDH09-52	395.00	396.00	1.00	56538	4.781
DDH09-52	396.00	396.30	0.30	56539	3.119
DDH09-52	396.30	396.60	0.30	56540	36.14
DDH09-52	396.60	397.00	0.40	56541	1.797
DDH09-52	397.00	398.00	1.00	56542	0.065
DDH09-52	398.00	399.00	1.00	56543	0.05
DDH09-52	399.00	400.00	1.00	56544	0.1
DDH09-52	400.00	401.00	1.00	56545	0.864
DDH09-52	401.00	402.00	1.00	56547	0.116
DDH09-52	402.00	402.50	0.50	56548	0.325

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-52	402.50	404.00	1.50	56549	0.099
DDH09-52	404.00	405.00	1.00	56550	0.148
DDH09-52	405.00	406.00	1.00	56551	0.163
DDH09-52	406.00	406.50	0.50	56553	0.374
DDH09-52	406.50	408.00	1.50	56554	2.673
DDH09-52	408.00	410.00	2.00	56555	2.375
DDH09-52	410.00	411.00	1.00	56556	0.054
DDH09-52	411.00	412.00	1.00	56557	0.036
DDH09-52	412.00	413.00	1.00	56558	0.036
DDH09-52	413.00	414.00	1.00	56559	0.135
DDH09-52	414.00	415.00	1.00	56561	0.139
DDH09-52	415.00	416.00	1.00	56562	0.249
DDH09-52	416.00	418.00	2.00	56563	0.013
DDH09-52	418.00	420.00	2.00	56564	0.013
DDH09-52	420.00	422.00	2.00	56565	0.008
DDH09-52	422.00	424.00	2.00	56566	0.012
DDH09-52	424.00	425.00	1.00	56567	<0.005
DDH09-52	425.00	426.00	1.00	56569	0.058
DDH09-52	426.00	428.00	2.00	56570	0.213
DDH09-52	428.00	430.00	2.00	56571	0.024
DDH09-52	430.00	432.00	2.00	56572	0.033
DDH09-52	432.00	434.00	2.00	56573	0.027
DDH09-52	434.00	436.00	2.00	56574	0.083
DDH09-52	436.00	438.00	2.00	56575	0.213
DDH09-52	438.00	440.00	2.00	56577	0.043
DDH09-52	440.00	445.00	5.00	56578	0.056
DDH09-52	445.00	450.00	5.00	56579	0.573
DDH09-52	450.00	455.00	5.00	56580	0.025
DDH09-52	455.00	456.00	1.00	56581	0.012
DDH09-52	456.00	457.00	1.00	56582	0.006
DDH09-52	457.00	458.00	1.00	56583	<0.005
DDH09-52	458.00	460.00	2.00	56585	0.008
DDH09-52	460.00	462.00	2.00	56586	0.171
DDH09-52	462.00	465.00	3.00	56587	1.057
DDH09-52	465.00	470.00	5.00	56588	0.372
DDH09-52	470.00	475.00	5.00	56589	0.038
DDH09-52	475.00	480.00	5.00	56590	0.485
DDH09-52	480.00	483.00	3.00	56591	0.249
DDH09-52	483.00	484.00	1.00	56592	0.012
DDH09-52	484.00	485.00	1.00	56594	0.01
DDH09-52	485.00	487.50	2.50	56595	0.179
DDH09-52	487.50	488.10	0.60	56596	<0.005
DDH09-52	488.10	490.00	1.90	56597	0.027
DDH09-52	490.00	495.00	5.00	56598	0.014
DDH09-52	495.00	500.00	5.00	56599	0.118
DDH09-52	500.00	502.00	2.00	56601	0.07
DDH09-52	502.00	503.00	1.00	56602	0.124
DDH09-52	503.00	505.00	2.00	56603	0.108
DDH09-52	505.00	510.00	5.00	56604	0.011
DDH09-52	510.00	511.00	1.00	56605	<0.005
DDH09-52	511.00	511.30	0.30	56606	<0.005
DDH09-52	511.30	511.60	0.30	56607	<0.005
DDH09-52	511.60	512.60	1.00	56608	<0.005
DDH09-52	512.60	515.00	2.40	56609	<0.005
DDH09-52	515.00	516.10	1.10	56611	<0.005

EOH