

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-56 : Au Assays Results					
HOLE ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-56	8.20	10.00	1.80	51523	0.011
DDH09-56	10.00	15.00	5.00	51524	0.019
DDH09-56	15.00	20.00	5.00	51525	0.009
DDH09-56	20.00	25.00	5.00	51526	0.013
DDH09-56	25.00	30.00	5.00	51527	0.014
DDH09-56	30.00	35.00	5.00	51529	<0.005
DDH09-56	35.00	40.00	5.00	51530	0.014
DDH09-56	40.00	45.00	5.00	51531	0.028
DDH09-56	45.00	50.00	5.00	51532	0.018
DDH09-56	50.00	55.00	5.00	51533	0.017
DDH09-56	55.00	60.00	5.00	51534	0.031
DDH09-56	60.00	65.00	5.00	51536	0.032
DDH09-56	65.00	70.00	5.00	51537	0.013
DDH09-56	70.00	75.00	5.00	51538	0.033
DDH09-56	75.00	80.00	5.00	51539	0.025
DDH09-56	80.00	85.00	5.00	51540	0.063
DDH09-56	85.00	87.50	2.50	51541	0.175
DDH09-56	87.50	88.00	0.50	51542	2.332
DDH09-56	88.00	90.00	2.00	51543	0.032
DDH09-56	90.00	95.00	5.00	51544	8.911
DDH09-56	95.00	100.00	5.00	51546	0.015
DDH09-56	100.00	105.00	5.00	51547	0.04
DDH09-56	105.00	106.50	1.50	51548	0.048
DDH09-56	106.50	107.00	0.50	51549	24.26
DDH09-56	107.00	110.00	3.00	51550	0.019
DDH09-56	110.00	115.00	5.00	51552	0.049
DDH09-56	115.00	120.00	5.00	51553	0.018
DDH09-56	120.00	125.00	5.00	51554	0.09
DDH09-56	125.00	130.00	5.00	51555	0.025
DDH09-56	130.00	135.00	5.00	51556	0.069
DDH09-56	135.00	138.00	3.00	51557	0.027
DDH09-56	138.00	139.00	1.00	51558	0.049
DDH09-56	139.00	140.00	1.00	51560	0.016
DDH09-56	140.00	145.00	5.00	51561	0.037
DDH09-56	145.00	146.00	1.00	51562	0.19
DDH09-56	146.00	150.00	4.00	51563	0.016
DDH09-56	150.00	155.00	5.00	51564	0.031
DDH09-56	155.00	160.00	5.00	51565	0.029
DDH09-56	160.00	165.00	5.00	51566	0.021
DDH09-56	165.00	170.00	5.00	51568	0.044
DDH09-56	170.00	175.00	5.00	51569	0.017
DDH09-56	175.00	180.00	5.00	51570	0.017
DDH09-56	180.00	185.00	5.00	51571	0.031
DDH09-56	185.00	190.00	5.00	51572	0.017
DDH09-56	190.00	195.00	5.00	51573	0.028
DDH09-56	195.00	197.00	2.00	51574	0.018
DDH09-56	197.00	200.00	3.00	51576	0.034
DDH09-56	200.00	205.00	5.00	51577	0.09
DDH09-56	205.00	210.00	5.00	51578	0.033
DDH09-56	210.00	215.00	5.00	51579	0.023
DDH09-56	215.00	220.00	5.00	51580	0.03
DDH09-56	220.00	222.00	2.00	51581	0.01
DDH09-56	222.00	225.00	3.00	51582	0.027
DDH09-56	225.00	230.00	5.00	51584	0.026
DDH09-56	230.00	235.00	5.00	51585	0.042
DDH09-56	235.00	240.00	5.00	51586	0.046
DDH09-56	240.00	242.00	2.00	51587	0.062
DDH09-56	242.00	244.00	2.00	51588	0.053
DDH09-56	244.00	246.00	2.00	51589	0.088
DDH09-56	246.00	248.00	2.00	51590	0.095
DDH09-56	248.00	250.00	2.00	51591	0.149
DDH09-56	250.00	252.00	2.00	51593	0.155
DDH09-56	252.00	254.00	2.00	51594	0.088
DDH09-56	254.00	256.00	2.00	51595	0.037
DDH09-56	256.00	258.00	2.00	51596	0.041

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-56	258.00	260.00	2.00	51597	0.045
DDH09-56	260.00	262.00	2.00	51598	0.17
DDH09-56	262.00	264.00	2.00	51600	0.049
DDH09-56	264.00	266.00	2.00	51601	0.056
DDH09-56	266.00	268.00	2.00	51602	0.051
DDH09-56	268.00	269.50	1.50	51603	0.055
DDH09-56	269.50	270.00	0.50	51604	0.016
DDH09-56	270.00	272.00	2.00	51605	0.04
DDH09-56	272.00	274.00	2.00	51606	0.036
DDH09-56	274.00	276.00	2.00	51607	0.04
DDH09-56	276.00	278.00	2.00	51608	0.045
DDH09-56	278.00	280.00	2.00	51610	0.036
DDH09-56	280.00	282.00	2.00	51611	0.027
DDH09-56	282.00	284.00	2.00	51612	0.02
DDH09-56	284.00	286.00	2.00	51613	0.019
DDH09-56	286.00	288.00	2.00	51614	0.023
DDH09-56	288.00	290.00	2.00	51616	0.057
DDH09-56	290.00	292.00	2.00	51617	0.038
DDH09-56	292.00	294.00	2.00	51618	0.519
DDH09-56	294.00	296.00	2.00	51619	0.04
DDH09-56	296.00	298.00	2.00	51620	0.045
DDH09-56	298.00	300.00	2.00	51621	0.075
DDH09-56	300.00	302.00	2.00	51622	0.165
DDH09-56	302.00	304.00	2.00	51624	0.373
DDH09-56	304.00	306.00	2.00	51625	0.07
DDH09-56	306.00	308.00	2.00	51626	0.192
DDH09-56	308.00	310.00	2.00	51627	0.549
DDH09-56	310.00	312.00	2.00	51628	0.677
DDH09-56	312.00	314.00	2.00	51629	0.201
DDH09-56	314.00	316.00	2.00	51630	3.89
DDH09-56	316.00	318.00	2.00	51632	0.125
DDH09-56	318.00	320.00	2.00	51633	8.858
DDH09-56	320.00	321.00	1.00	51634	1.337
DDH09-56	321.00	322.00	1.00	51635	0.382
DDH09-56	322.00	323.00	1.00	51636	1.768
DDH09-56	323.00	324.00	1.00	51637	0.137
DDH09-56	324.00	325.00	1.00	51638	0.423
DDH09-56	325.00	326.00	1.00	51640	0.924
DDH09-56	326.00	327.00	1.00	51641	0.482
DDH09-56	327.00	328.00	1.00	51642	0.255
DDH09-56	328.00	329.00	1.00	51643	0.017
DDH09-56	329.00	330.00	1.00	51644	0.013
DDH09-56	330.00	331.00	1.00	51645	0.011
DDH09-56	331.00	332.00	1.00	51646	0.008
DDH09-56	332.00	333.00	1.00	51648	0.006
DDH09-56	333.00	334.00	1.00	51649	0.005
DDH09-56	334.00	335.00	1.00	51650	0.006
DDH09-56	335.00	336.00	1.00	51651	0.01
DDH09-56	336.00	337.00	1.00	51652	0.101
DDH09-56	337.00	338.00	1.00	51653	0.168
DDH09-56	338.00	339.00	1.00	51654	0.059
DDH09-56	339.00	340.00	1.00	51655	1.78
DDH09-56	340.00	341.00	1.00	51657	0.051
DDH09-56	341.00	342.00	1.00	51658	0.028
DDH09-56	342.00	343.00	1.00	51659	0.03
DDH09-56	343.00	344.00	1.00	51660	0.188
DDH09-56	344.00	345.00	1.00	51661	0.067
DDH09-56	345.00	346.00	1.00	51662	0.031
DDH09-56	346.00	347.00	1.00	51664	0.073
DDH09-56	347.00	348.00	1.00	51665	0.023
DDH09-56	348.00	349.00	1.00	51666	0.131
DDH09-56	349.00	350.00	1.00	51667	0.015
DDH09-56	350.00	351.00	1.00	51668	0.007
DDH09-56	351.00	352.00	1.00	51669	0.028
DDH09-56	352.00	353.00	1.00	51670	0.077
DDH09-56	353.00	354.00	1.00	51671	<0.005
DDH09-56	354.00	355.00	1.00	51672	<0.005
DDH09-56	355.00	356.00	1.00	51674	0.01

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-56	356.00	357.00	1.00	51675	0.011
DDH09-56	357.00	358.00	1.00	51676	<0.005
DDH09-56	358.00	359.00	1.00	51677	0.015
DDH09-56	359.00	360.00	1.00	51678	0.116
DDH09-56	360.00	361.00	1.00	51680	0.019
DDH09-56	361.00	362.00	1.00	51681	0.011
DDH09-56	362.00	363.00	1.00	51682	0.123
DDH09-56	363.00	364.00	1.00	51683	0.235
DDH09-56	364.00	365.00	1.00	51684	0.102
DDH09-56	365.00	366.00	1.00	51685	0.254
DDH09-56	366.00	367.00	1.00	51686	0.08
DDH09-56	367.00	368.00	1.00	51688	0.508
DDH09-56	368.00	369.00	1.00	51689	0.087
DDH09-56	369.00	370.00	1.00	51690	0.074
DDH09-56	370.00	371.00	1.00	51691	0.015
DDH09-56	371.00	372.00	1.00	51692	0.052
DDH09-56	372.00	373.00	1.00	51693	0.026
DDH09-56	373.00	374.00	1.00	51694	<0.005
DDH09-56	374.00	375.00	1.00	51696	<0.005
DDH09-56	375.00	376.00	1.00	51697	<0.005
DDH09-56	376.00	377.00	1.00	51698	0.005
DDH09-56	377.00	378.00	1.00	51699	<0.005
DDH09-56	378.00	379.00	1.00	51700	<0.005
DDH09-56	379.00	380.00	1.00	51701	<0.005
DDH09-56	380.00	381.00	1.00	51702	0.01
DDH09-56	381.00	382.00	1.00	51704	0.005
DDH09-56	382.00	383.00	1.00	51705	0.031
DDH09-56	383.00	384.00	1.00	51706	0.331
DDH09-56	384.00	385.00	1.00	51707	0.026
DDH09-56	385.00	386.00	1.00	51708	0.016
DDH09-56	386.00	387.00	1.00	51709	0.013
DDH09-56	387.00	388.00	1.00	51710	0.1
DDH09-56	388.00	389.00	1.00	51712	0.024
DDH09-56	389.00	390.00	1.00	51713	0.07
DDH09-56	390.00	391.00	1.00	51714	0.133
DDH09-56	391.00	392.00	1.00	51715	0.023
DDH09-56	392.00	393.00	1.00	51716	4.66
DDH09-56	393.00	394.00	1.00	51717	1.76
DDH09-56	394.00	395.00	1.00	51718	0.19
DDH09-56	395.00	395.50	0.50	51719	0.035
DDH09-56	395.50	396.00	0.50	51721	<0.005
DDH09-56	396.00	396.50	0.50	51722	0.031
DDH09-56	396.50	397.00	0.50	51723	<0.005
DDH09-56	397.00	398.00	1.00	51724	0.04
DDH09-56	398.00	399.00	1.00	51725	0.043
DDH09-56	399.00	400.00	1.00	51726	0.566
DDH09-56	400.00	401.00	1.00	51728	0.302
DDH09-56	401.00	402.00	1.00	51729	2.563
DDH09-56	402.00	403.00	1.00	51730	0.286
DDH09-56	403.00	404.00	1.00	51731	0.619
DDH09-56	404.00	405.00	1.00	51732	0.849
DDH09-56	405.00	406.00	1.00	51733	0.36
DDH09-56	406.00	407.00	1.00	51734	0.05
DDH09-56	407.00	408.00	1.00	51735	0.008
DDH09-56	408.00	409.00	1.00	51736	0.058
DDH09-56	409.00	410.00	1.00	51738	0.112
DDH09-56	410.00	411.00	1.00	51739	0.235
DDH09-56	411.00	412.00	1.00	51740	1.075
DDH09-56	412.00	413.00	1.00	51741	0.011
DDH09-56	413.00	414.00	1.00	51742	0.154
DDH09-56	414.00	415.00	1.00	51744	0.009
DDH09-56	415.00	416.00	1.00	51745	0.086
DDH09-56	416.00	416.50	0.50	51746	0.031
DDH09-56	416.50	417.00	0.50	51747	<0.005
DDH09-56	417.00	417.30	0.30	51748	0.007
DDH09-56	417.30	418.00	0.70	51749	0.031
DDH09-56	418.00	419.00	1.00	51750	0.016
DDH09-56	419.00	420.00	1.00	51752	0.109

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-56	420.00	421.00	1.00	51753	0.402
DDH09-56	421.00	422.00	1.00	51754	0.093
DDH09-56	422.00	423.00	1.00	51755	0.01
DDH09-56	423.00	424.00	1.00	51756	0.059
DDH09-56	424.00	425.00	1.00	51757	0.275
DDH09-56	425.00	426.00	1.00	51758	0.038
DDH09-56	426.00	427.00	1.00	51760	0.178
DDH09-56	427.00	428.00	1.00	51761	0.028
DDH09-56	428.00	429.00	1.00	51762	0.057
DDH09-56	429.00	430.00	1.00	51763	0.014
DDH09-56	430.00	431.00	1.00	51764	0.021
DDH09-56	431.00	432.00	1.00	51765	0.037
DDH09-56	432.00	433.35	1.35	51766	0.044

EOH