

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-57 : Au Assays Results					
HOLE ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-57	7.00	10.00	3.00	51184	<0.005
DDH09-57	10.00	15.00	5.00	51185	0.006
DDH09-57	15.00	20.00	5.00	51186	0.083
DDH09-57	20.00	25.00	5.00	51187	<0.005
DDH09-57	25.00	30.00	5.00	51188	<0.005
DDH09-57	30.00	35.00	5.00	51189	0.007
DDH09-57	35.00	40.00	5.00	51190	<0.005
DDH09-57	40.00	45.00	5.00	51192	0.008
DDH09-57	45.00	50.00	5.00	51193	0.022
DDH09-57	50.00	55.00	5.00	51194	0.02
DDH09-57	55.00	60.00	5.00	51195	0.018
DDH09-57	60.00	65.00	5.00	51196	0.017
DDH09-57	65.00	70.00	5.00	51197	0.018
DDH09-57	70.00	75.00	5.00	51198	0.02
DDH09-57	75.00	80.00	5.00	51199	0.01
DDH09-57	80.00	85.00	5.00	51201	0.01
DDH09-57	85.00	90.00	5.00	51202	0.076
DDH09-57	90.00	95.00	5.00	51203	0.026
DDH09-57	95.00	100.00	5.00	51204	0.024
DDH09-57	100.00	102.00	2.00	51205	0.014
DDH09-57	102.00	104.00	2.00	51206	0.019
DDH09-57	104.00	106.00	2.00	51208	0.158
DDH09-57	106.00	108.00	2.00	51209	0.524
DDH09-57	108.00	110.00	2.00	51210	0.13
DDH09-57	110.00	112.00	2.00	51211	0.143
DDH09-57	112.00	114.00	2.00	51212	0.061
DDH09-57	114.00	116.00	2.00	51213	0.084
DDH09-57	116.00	118.00	2.00	51214	2.708
DDH09-57	118.00	120.00	2.00	51215	0.02
DDH09-57	120.00	121.00	1.00	51216	0.181
DDH09-57	121.00	122.00	1.00	51218	0.095
DDH09-57	122.00	123.00	1.00	51219	0.041
DDH09-57	123.00	123.50	0.50	51220	8.495
DDH09-57	123.50	124.00	0.50	51221	0.008
DDH09-57	124.00	125.00	1.00	51222	0.024
DDH09-57	125.00	126.00	1.00	51224	0.031
DDH09-57	126.00	127.00	1.00	51225	0.134
DDH09-57	127.00	128.00	1.00	51226	0.042
DDH09-57	128.00	129.00	1.00	51227	3.398
DDH09-57	129.00	130.00	1.00	51228	0.214
DDH09-57	130.00	131.00	1.00	51229	0.148
DDH09-57	131.00	132.00	1.00	51230	0.569
DDH09-57	132.00	133.00	1.00	51232	0.468
DDH09-57	133.00	134.00	1.00	51233	1.806
DDH09-57	134.00	135.00	1.00	51234	1.708
DDH09-57	135.00	136.00	1.00	51235	1.819
DDH09-57	136.00	137.00	1.00	51236	0.311
DDH09-57	137.00	138.00	1.00	51237	0.662
DDH09-57	138.00	139.00	1.00	51238	1.878
DDH09-57	139.00	140.00	1.00	51240	2.738
DDH09-57	140.00	141.00	1.00	51241	1.018
DDH09-57	141.00	142.00	1.00	51242	4.664
DDH09-57	142.00	143.00	1.00	51243	1.035
DDH09-57	143.00	144.00	1.00	51244	0.619
DDH09-57	144.00	145.00	1.00	51245	0.458
DDH09-57	145.00	146.00	1.00	51246	0.508
DDH09-57	146.00	147.00	1.00	51248	0.129
DDH09-57	147.00	148.00	1.00	51249	0.188
DDH09-57	148.00	149.00	1.00	51250	0.025
DDH09-57	149.00	150.00	1.00	51251	0.33
DDH09-57	150.00	151.00	1.00	51252	0.109
DDH09-57	151.00	152.00	1.00	51253	0.301
DDH09-57	152.00	153.00	1.00	51254	1.424
DDH09-57	153.00	154.00	1.00	51256	0.271
DDH09-57	154.00	155.00	1.00	51257	0.05

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-57	155.00	156.00	1.00	51258	0.044
DDH09-57	156.00	157.00	1.00	51259	<0.005
DDH09-57	157.00	158.00	1.00	51260	0.125
DDH09-57	158.00	159.00	1.00	51261	0.082
DDH09-57	159.00	160.00	1.00	51262	0.013
DDH09-57	160.00	161.00	1.00	51263	0.071
DDH09-57	161.00	162.00	1.00	51265	0.052
DDH09-57	162.00	163.00	1.00	51266	0.007
DDH09-57	163.00	164.00	1.00	51267	0.02
DDH09-57	164.00	165.00	1.00	51268	0.012
DDH09-57	165.00	166.00	1.00	51269	0.044
DDH09-57	166.00	167.00	1.00	51270	0.197
DDH09-57	167.00	168.00	1.00	51272	0.138
DDH09-57	168.00	169.00	1.00	51273	0.041
DDH09-57	169.00	170.00	1.00	51274	0.01
DDH09-57	170.00	171.00	1.00	51275	0.007
DDH09-57	171.00	172.00	1.00	51276	0.03
DDH09-57	172.00	173.00	1.00	51277	0.029
DDH09-57	173.00	174.00	1.00	51278	0.05
DDH09-57	174.00	175.00	1.00	51279	<0.005
DDH09-57	175.00	176.00	1.00	51280	0.043
DDH09-57	176.00	177.00	1.00	51282	0.592
DDH09-57	177.00	178.00	1.00	51283	0.429
DDH09-57	178.00	179.00	1.00	51284	0.749
DDH09-57	179.00	180.00	1.00	51285	0.273
DDH09-57	180.00	181.00	1.00	51286	2.827
DDH09-57	181.00	182.00	1.00	51288	0.23
DDH09-57	182.00	183.00	1.00	51289	0.308
DDH09-57	183.00	184.00	1.00	51290	0.905
DDH09-57	184.00	185.00	1.00	51291	1.986
DDH09-57	185.00	186.00	1.00	51292	3.179
DDH09-57	186.00	187.00	1.00	51293	0.218
DDH09-57	187.00	188.00	1.00	51294	0.842
DDH09-57	188.00	189.00	1.00	51296	0.923
DDH09-57	189.00	190.00	1.00	51297	1.021
DDH09-57	190.00	191.00	1.00	51298	1.036
DDH09-57	191.00	192.00	1.00	51299	1.226
DDH09-57	192.00	193.00	1.00	51300	2.947
DDH09-57	193.00	194.00	1.00	51301	1.596
DDH09-57	194.00	195.00	1.00	51302	0.984
DDH09-57	195.00	196.00	1.00	51304	0.225
DDH09-57	196.00	197.00	1.00	51305	0.359
DDH09-57	197.00	198.00	1.00	51306	0.223
DDH09-57	198.00	199.00	1.00	51307	0.158
DDH09-57	199.00	200.00	1.00	51308	0.042
DDH09-57	200.00	201.00	1.00	51309	0.955
DDH09-57	201.00	202.00	1.00	51310	0.105
DDH09-57	202.00	203.00	1.00	51312	0.074
DDH09-57	203.00	204.00	1.00	51313	0.614
DDH09-57	204.00	205.00	1.00	51314	0.133
DDH09-57	205.00	206.00	1.00	51315	0.241
DDH09-57	206.00	207.00	1.00	51316	1.633
DDH09-57	207.00	208.00	1.00	51317	0.149
DDH09-57	208.00	209.00	1.00	51318	0.052
DDH09-57	209.00	210.00	1.00	51320	0.166
DDH09-57	210.00	211.00	1.00	51321	0.046
DDH09-57	211.00	212.00	1.00	51322	0.053
DDH09-57	212.00	213.00	1.00	51323	0.104
DDH09-57	213.00	214.00	1.00	51324	0.112
DDH09-57	214.00	215.00	1.00	51325	0.08
DDH09-57	215.00	216.00	1.00	51326	0.026
DDH09-57	216.00	216.30	0.30	51327	0.01
DDH09-57	216.30	216.60	0.30	51329	<0.005
DDH09-57	216.60	217.00	0.40	51330	0.034
DDH09-57	217.00	218.00	1.00	51331	0.013
DDH09-57	218.00	219.00	1.00	51332	0.025
DDH09-57	219.00	220.00	1.00	51333	0.044
DDH09-57	220.00	221.00	1.00	51334	0.067

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-57	221.00	222.00	1.00	51336	0.112
DDH09-57	222.00	223.00	1.00	51337	0.033
DDH09-57	223.00	224.00	1.00	51338	0.058
DDH09-57	224.00	225.00	1.00	51339	0.047
DDH09-57	225.00	226.00	1.00	51340	0.021
DDH09-57	226.00	227.00	1.00	51341	<0.005
DDH09-57	227.00	227.40	0.40	51342	<0.005
DDH09-57	227.40	228.00	0.60	51343	0.009
DDH09-57	228.00	229.00	1.00	51344	0.056
DDH09-57	229.00	230.00	1.00	51346	0.034
DDH09-57	230.00	231.00	1.00	51347	1.346
DDH09-57	231.00	232.00	1.00	51348	0.471
DDH09-57	232.00	233.00	1.00	51349	0.358
DDH09-57	233.00	234.00	1.00	51350	1.095
DDH09-57	234.00	235.00	1.00	51352	0.709
DDH09-57	235.00	236.00	1.00	51353	0.049
DDH09-57	236.00	237.00	1.00	51354	0.201
DDH09-57	237.00	238.00	1.00	51355	0.045
DDH09-57	238.00	239.00	1.00	51356	0.768
DDH09-57	239.00	240.00	1.00	51357	0.364
DDH09-57	240.00	241.00	1.00	51358	0.259
DDH09-57	241.00	242.00	1.00	51360	0.016
DDH09-57	242.00	243.00	1.00	51361	0.016
DDH09-57	243.00	244.00	1.00	51362	0.037
DDH09-57	244.00	245.00	1.00	51363	0.012
DDH09-57	245.00	246.00	1.00	51364	0.087
DDH09-57	246.00	247.00	1.00	51365	0.072
DDH09-57	247.00	248.00	1.00	51366	0.6
DDH09-57	248.00	249.00	1.00	51368	0.069
DDH09-57	249.00	250.00	1.00	51369	<0.005
DDH09-57	250.00	250.70	0.70	51370	<0.005
DDH09-57	250.70	251.00	0.30	51371	0.023
DDH09-57	251.00	252.00	1.00	51372	0.065
DDH09-57	252.00	252.30	0.30	51373	0.015
DDH09-57	252.30	253.00	0.70	51374	0.045
DDH09-57	253.00	254.00	1.00	51376	0.061
DDH09-57	254.00	255.00	1.00	51377	0.329
DDH09-57	255.00	255.70	0.70	51378	0.007
DDH09-57	255.70	256.00	0.30	51379	0.06
DDH09-57	256.00	256.40	0.40	51380	0.054
DDH09-57	256.40	257.00	0.60	51381	0.15
DDH09-57	257.00	258.00	1.00	51382	0.02
DDH09-57	258.00	258.60	0.60	51384	0.028
DDH09-57	258.60	259.00	0.40	51385	0.024
DDH09-57	259.00	259.30	0.30	51386	0.018
DDH09-57	259.30	260.00	0.70	51387	0.024
DDH09-57	260.00	261.00	1.00	51388	0.029
DDH09-57	261.00	262.00	1.00	51389	0.013
DDH09-57	262.00	263.00	1.00	51390	0.052
DDH09-57	263.00	264.00	1.00	51391	0.009
DDH09-57	264.00	265.00	1.00	51393	0.017
DDH09-57	265.00	266.00	1.00	51394	0.013
DDH09-57	266.00	267.00	1.00	51395	0.185
DDH09-57	267.00	268.00	1.00	51396	0.069
DDH09-57	268.00	268.60	0.60	51397	0.034
DDH09-57	268.60	269.00	0.40	51398	0.041
DDH09-57	269.00	269.50	0.50	51400	0.027
DDH09-57	269.50	270.00	0.50	51401	0.13
DDH09-57	270.00	271.00	1.00	51402	0.049
DDH09-57	271.00	272.00	1.00	51403	<0.005
DDH09-57	272.00	273.00	1.00	51404	<0.005
DDH09-57	273.00	274.00	1.00	51405	0.026
DDH09-57	274.00	275.00	1.00	51406	0.023
DDH09-57	275.00	276.00	1.00	51407	0.006
DDH09-57	276.00	277.00	1.00	51408	0.116
DDH09-57	277.00	278.00	1.00	51410	0.262
DDH09-57	278.00	279.00	1.00	51411	0.019
DDH09-57	279.00	280.00	1.00	51412	0.107

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-57	280.00	281.00	1.00	51413	0.271
DDH09-57	281.00	282.00	1.00	51414	0.138
DDH09-57	282.00	283.00	1.00	51416	0.078
DDH09-57	283.00	284.00	1.00	51417	0.806
DDH09-57	284.00	285.00	1.00	51418	0.015
DDH09-57	285.00	286.00	1.00	51419	0.073
DDH09-57	286.00	287.00	1.00	51420	0.052
DDH09-57	287.00	288.00	1.00	51421	0.346
DDH09-57	288.00	289.00	1.00	51422	0.109
DDH09-57	289.00	290.00	1.00	51424	0.151
DDH09-57	290.00	292.00	2.00	51425	0.945
DDH09-57	292.00	294.00	2.00	51426	0.373
DDH09-57	294.00	296.00	2.00	51427	0.444
DDH09-57	296.00	298.00	2.00	51428	0.055
DDH09-57	298.00	300.00	2.00	51429	1.252
DDH09-57	300.00	302.00	2.00	51430	0.069
DDH09-57	302.00	304.00	2.00	51432	0.757
DDH09-57	304.00	306.00	2.00	51433	0.126
DDH09-57	306.00	308.00	2.00	51434	0.274
DDH09-57	308.00	310.00	2.00	51435	0.137
DDH09-57	310.00	313.50	3.50	51436	0.247
DDH09-57	313.50	315.00	1.50	51437	0.102
DDH09-57	315.00	320.00	5.00	51438	0.178
DDH09-57	320.00	322.50	2.50	51440	0.084
DDH09-57	322.50	325.00	2.50	51441	0.118
DDH09-57	325.00	326.75	1.75	51442	0.032
DDH09-57	326.75	327.35	0.60	51443	0.025
DDH09-57	327.35	330.00	2.65	51444	0.007
DDH09-57	330.00	330.70	0.70	51445	0.017
DDH09-57	330.70	331.50	0.80	51446	<0.005
DDH09-57	331.50	332.05	0.55	51448	0.095
DDH09-57	332.05	332.65	0.60	51449	0.006
DDH09-57	332.65	333.10	0.45	51450	0.017
DDH09-57	333.10	335.00	1.90	51451	0.047
DDH09-57	335.00	335.55	0.55	51452	0.031
DDH09-57	335.55	335.95	0.40	51453	0.131
DDH09-57	335.95	340.00	4.05	51454	0.024
DDH09-57	340.00	341.30	1.30	51455	0.326
DDH09-57	341.30	341.65	0.35	51457	0.064
DDH09-57	341.65	345.00	3.35	51458	0.071
DDH09-57	345.00	350.00	5.00	51459	0.165
DDH09-57	350.00	351.50	1.50	51460	0.055
DDH09-57	351.50	352.00	0.50	51461	0.031
DDH09-57	352.00	353.65	1.65	51462	0.089
DDH09-57	353.65	355.00	1.35	51464	0.489
DDH09-57	355.00	355.95	0.95	51465	0.215
DDH09-57	355.95	356.60	0.65	51466	0.022
DDH09-57	356.60	360.00	3.40	51467	0.233
DDH09-57	360.00	365.00	5.00	51468	0.888
DDH09-57	365.00	368.50	3.50	51469	0.113
DDH09-57	368.50	370.00	1.50	51470	0.095
DDH09-57	370.00	372.00	2.00	51471	0.07
DDH09-57	372.00	373.50	1.50	51472	0.012
DDH09-57	373.50	374.50	1.00	51474	0.119
DDH09-57	374.50	375.00	0.50	51475	0.13
DDH09-57	375.00	378.00	3.00	51476	0.149
DDH09-57	378.00	380.00	2.00	51477	4.102
DDH09-57	380.00	380.55	0.55	51478	3.23
DDH09-57	380.55	380.90	0.35	51480	<0.005
DDH09-57	380.90	382.50	1.60	51481	0.223

EOH