

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-44 : Au Assays Results					
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-44	5.20	10.00	4.80	45345	0.013
DDH09-44	10.00	15.00	5.00	45346	0.145
DDH09-44	15.00	20.00	5.00	45347	0.111
DDH09-44	20.00	23.50	3.50	45348	0.38
DDH09-44	23.50	24.00	0.50	45349	1.912
DDH09-44	24.00	24.50	0.50	45350	0.181
DDH09-44	24.50	25.50	1.00	45751	0.933
DDH09-44	25.50	30.00	4.50	45752	0.051
DDH09-44	30.00	32.00	2.00	45753	0.06
DDH09-44	32.00	34.00	2.00	45754	0.009
DDH09-44	34.00	36.00	2.00	45755	0.01
DDH09-44	36.00	38.00	2.00	45756	0.023
DDH09-44	38.00	40.00	2.00	45757	0.028
DDH09-44	40.00	42.00	2.00	45759	<0.005
DDH09-44	42.00	44.00	2.00	45760	0.011
DDH09-44	44.00	46.00	2.00	45761	0.008
DDH09-44	46.00	48.00	2.00	45762	<0.005
DDH09-44	48.00	50.00	2.00	45763	0.009
DDH09-44	50.00	51.00	1.00	45764	0.036
DDH09-44	51.00	52.00	1.00	45765	0.016
DDH09-44	52.00	52.50	0.50	45766	1.322
DDH09-44	52.50	53.00	0.50	45767	0.073
DDH09-44	53.00	54.00	1.00	45769	0.832
DDH09-44	54.00	55.00	1.00	45770	0.121
DDH09-44	55.00	56.00	1.00	45771	0.307
DDH09-44	56.00	57.00	1.00	45772	0.033
DDH09-44	57.00	58.00	1.00	45773	0.272
DDH09-44	58.00	59.00	1.00	45774	0.707
DDH09-44	59.00	60.00	1.00	45775	0.686
DDH09-44	60.00	61.00	1.00	45777	0.065
DDH09-44	61.00	62.00	1.00	45778	0.082
DDH09-44	62.00	63.00	1.00	45779	2.412
DDH09-44	63.00	64.00	1.00	45780	0.075
DDH09-44	64.00	65.00	1.00	45781	0.346
DDH09-44	65.00	66.00	1.00	45782	0.023
DDH09-44	66.00	67.00	1.00	45783	0.096
DDH09-44	67.00	68.00	1.00	45785	0.026
DDH09-44	68.00	71.00	3.00	45786	9.932
DDH09-44	71.00	72.50	1.50	45787	2.713
DDH09-44	72.50	73.00	0.50	45788	0.115
DDH09-44	73.00	74.00	1.00	45789	0.164
DDH09-44	74.00	75.00	1.00	45790	6.889
DDH09-44	75.00	76.00	1.00	45791	0.285
DDH09-44	76.00	77.00	1.00	45792	1.056
DDH09-44	77.00	78.00	1.00	45793	1.831
DDH09-44	78.00	79.00	1.00	45794	1.615
DDH09-44	79.00	80.00	1.00	45795	6.327
DDH09-44	80.00	81.00	1.00	45796	7.122
DDH09-44	81.00	82.00	1.00	45797	1.32
DDH09-44	82.00	83.00	1.00	45798	0.053
DDH09-44	83.00	84.00	1.00	45799	2.205
DDH09-44	84.00	85.00	1.00	45800	4.534
DDH09-44	85.00	86.00	1.00	45802	0.929
DDH09-44	86.00	87.00	1.00	45803	1.346
DDH09-44	87.00	88.00	1.00	45804	0.534
DDH09-44	88.00	89.00	1.00	45805	5.811
DDH09-44	89.00	90.00	1.00	45806	2.234
DDH09-44	90.00	91.00	1.00	45807	0.374
DDH09-44	91.00	92.00	1.00	45808	0.166
DDH09-44	92.00	93.00	1.00	45809	1.185
DDH09-44	93.00	94.00	1.00	45810	0.595
DDH09-44	94.00	95.00	1.00	45812	0.133
DDH09-44	95.00	96.00	1.00	45813	4.187
DDH09-44	96.00	97.00	1.00	45814	1.274
DDH09-44	97.00	98.00	1.00	45815	0.675

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-44	98.00	99.00	1.00	45816	1.132
DDH09-44	99.00	100.00	1.00	45817	1.412
DDH09-44	100.00	101.00	1.00	45818	0.953
DDH09-44	101.00	102.00	1.00	45820	0.13
DDH09-44	102.00	103.00	1.00	45821	0.15
DDH09-44	103.00	104.00	1.00	45822	0.02
DDH09-44	104.00	105.00	1.00	45823	0.17
DDH09-44	105.00	106.00	1.00	45824	0.11
DDH09-44	106.00	107.00	1.00	45825	0.10
DDH09-44	107.00	108.00	1.00	45826	0.14
DDH09-44	108.00	109.00	1.00	45828	0.06
DDH09-44	109.00	110.00	1.00	45829	2.70
DDH09-44	110.00	111.00	1.00	45830	1.362
DDH09-44	111.00	112.00	1.00	45831	7.279
DDH09-44	112.00	113.00	1.00	45832	0.975
DDH09-44	113.00	114.00	1.00	45833	2.715
DDH09-44	114.00	115.00	1.00	45834	3.961
DDH09-44	115.00	116.00	1.00	45835	0.586
DDH09-44	116.00	117.00	1.00	45836	0.36
DDH09-44	117.00	118.00	1.00	45837	0.241
DDH09-44	118.00	119.00	1.00	45838	2.071
DDH09-44	119.00	120.00	1.00	45839	0.379
DDH09-44	120.00	121.00	1.00	45840	0.475
DDH09-44	121.00	122.00	1.00	45841	0.197
DDH09-44	122.00	123.00	1.00	45842	1.133
DDH09-44	123.00	124.00	1.00	45843	1.668
DDH09-44	124.00	125.00	1.00	45845	1.155
DDH09-44	125.00	126.00	1.00	45846	2.078
DDH09-44	126.00	127.00	1.00	45847	1.280
DDH09-44	127.00	128.00	1.00	45848	21.010
DDH09-44	128.00	129.00	1.00	45849	0.502
DDH09-44	129.00	130.00	1.00	45850	0.856
DDH09-44	130.00	131.00	1.00	45851	0.644
DDH09-44	131.00	132.00	1.00	45852	6.376
DDH09-44	132.00	133.00	1.00	45853	2.708
DDH09-44	133.00	134.00	1.00	45855	1.106
DDH09-44	134.00	135.00	1.00	45856	2.513
DDH09-44	135.00	136.00	1.00	45857	1.371
DDH09-44	136.00	137.00	1.00	45858	4.413
DDH09-44	137.00	138.00	1.00	45859	0.280
DDH09-44	138.00	139.00	1.00	45860	0.612
DDH09-44	139.00	140.00	1.00	45861	0.146
DDH09-44	140.00	141.00	1.00	45863	0.289
DDH09-44	141.00	142.00	1.00	45864	0.234
DDH09-44	142.00	143.00	1.00	45865	0.190
DDH09-44	143.00	144.00	1.00	45866	0.038
DDH09-44	144.00	145.00	1.00	45867	4.579
DDH09-44	145.00	146.00	1.00	45868	0.369
DDH09-44	146.00	147.00	1.00	45869	3.497
DDH09-44	147.00	148.00	1.00	45871	1.711
DDH09-44	148.00	149.00	1.00	45872	5.907
DDH09-44	149.00	150.00	1.00	45873	0.225
DDH09-44	150.00	151.00	1.00	45874	1.728
DDH09-44	151.00	152.00	1.00	45875	0.350
DDH09-44	152.00	153.00	1.00	47501	0.076
DDH09-44	153.00	154.00	1.00	47502	0.062
DDH09-44	154.00	155.00	1.00	47503	0.098
DDH09-44	155.00	156.00	1.00	47504	0.226
DDH09-44	156.00	157.00	1.00	47505	0.213
DDH09-44	157.00	158.00	1.00	47506	0.204
DDH09-44	158.00	159.00	1.00	47507	0.426
DDH09-44	159.00	160.00	1.00	47508	0.251
DDH09-44	160.00	161.00	1.00	47509	0.088
DDH09-44	161.00	162.00	1.00	47510	0.081
DDH09-44	162.00	163.00	1.00	47511	0.282
DDH09-44	163.00	164.00	1.00	47513	0.047
DDH09-44	164.00	165.00	1.00	47514	0.016
DDH09-44	165.00	166.00	1.00	47515	0.042

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-44	166.00	167.00	1.00	47516	0.011
DDH09-44	167.00	168.00	1.00	47517	0.207
DDH09-44	168.00	169.00	1.00	47518	0.121
DDH09-44	169.00	170.00	1.00	47519	0.043
DDH09-44	170.00	171.00	1.00	47520	0.049
DDH09-44	171.00	172.00	1.00	47521	1.217
DDH09-44	172.00	173.00	1.00	47523	9.708
DDH09-44	173.00	174.00	1.00	47524	3.041
DDH09-44	174.00	175.00	1.00	47525	2.418
DDH09-44	175.00	176.00	1.00	47526	0.436
DDH09-44	176.00	177.00	1.00	47527	0.282
DDH09-44	177.00	178.00	1.00	47528	0.510
DDH09-44	178.00	179.00	1.00	47529	0.160
DDH09-44	179.00	180.00	1.00	47531	0.079
DDH09-44	180.00	181.00	1.00	47532	0.030
DDH09-44	181.00	182.00	1.00	47533	0.026
DDH09-44	182.00	183.00	1.00	47534	0.065
DDH09-44	183.00	184.00	1.00	47535	0.155
DDH09-44	184.00	185.00	1.00	47536	<0.005
DDH09-44	185.00	186.00	1.00	47537	0.012
DDH09-44	186.00	187.00	1.00	47539	0.016
DDH09-44	187.00	188.00	1.00	47540	0.009
DDH09-44	188.00	189.00	1.00	47541	0.014
DDH09-44	189.00	190.00	1.00	47542	0.010
DDH09-44	190.00	191.00	1.00	47543	0.015
DDH09-44	191.00	192.00	1.00	47544	0.044
DDH09-44	192.00	193.00	1.00	47545	0.019
DDH09-44	193.00	194.00	1.00	47546	0.009
DDH09-44	194.00	195.00	1.00	47547	0.018
DDH09-44	195.00	196.00	1.00	47548	<0.005
DDH09-44	196.00	197.00	1.00	47549	<0.005
DDH09-44	197.00	198.00	1.00	47550	0.018
DDH09-44	198.00	199.00	1.00	47551	0.041
DDH09-44	199.00	200.00	1.00	47552	0.034
DDH09-44	200.00	201.00	1.00	47553	0.024
DDH09-44	201.00	201.50	0.50	47554	0.126
DDH09-44	201.50	202.50	1.00	47556	0.006
DDH09-44	202.50	203.00	0.50	47557	0.19
DDH09-44	203.00	204.00	1.00	47558	0.037
DDH09-44	204.00	205.00	1.00	47559	0.138
DDH09-44	205.00	206.00	1.00	47560	0.072
DDH09-44	206.00	207.00	1.00	47561	0.02
DDH09-44	207.00	208.00	1.00	47562	2.535
DDH09-44	208.00	209.00	1.00	47563	0.547
DDH09-44	209.00	210.00	1.00	47564	0.048
DDH09-44	210.00	211.00	1.00	47566	<0.005
DDH09-44	211.00	212.00	1.00	47567	<0.005
DDH09-44	212.00	213.00	1.00	47568	<0.005
DDH09-44	213.00	214.00	1.00	47569	<0.005
DDH09-44	214.00	215.00	1.00	47570	<0.005
DDH09-44	215.00	216.00	1.00	47571	<0.005
DDH09-44	216.00	217.00	1.00	47572	<0.005
DDH09-44	217.00	218.00	1.00	47574	<0.005
DDH09-44	218.00	219.00	1.00	47575	0.026
DDH09-44	219.00	220.00	1.00	47576	0.03
DDH09-44	220.00	221.00	1.00	47577	0.376
DDH09-44	221.00	222.00	1.00	47578	0.02
DDH09-44	222.00	223.00	1.00	47579	0.04
DDH09-44	223.00	224.00	1.00	47580	0.35
DDH09-44	224.00	225.00	1.00	47582	0.192
DDH09-44	225.00	226.00	1.00	47583	0.503
DDH09-44	226.00	227.00	1.00	47584	0.051
DDH09-44	227.00	228.00	1.00	47585	0.021
DDH09-44	228.00	229.00	1.00	47586	0.078
DDH09-44	229.00	230.00	1.00	47587	0.022
DDH09-44	230.00	231.00	1.00	47588	0.092
DDH09-44	231.00	232.00	1.00	47589	0.121
DDH09-44	232.00	233.00	1.00	47590	0.085

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-44	233.00	234.00	1.00	47591	0.034
DDH09-44	234.00	235.00	1.00	47592	0.602
DDH09-44	235.00	236.00	1.00	47593	0.01
DDH09-44	236.00	237.00	1.00	47594	0.057
DDH09-44	237.00	238.00	1.00	47595	<0.005
DDH09-44	238.00	239.00	1.00	47596	0.022
DDH09-44	239.00	240.00	1.00	47597	0.015
DDH09-44	240.00	241.00	1.00	47599	0.019
DDH09-44	241.00	242.00	1.00	47600	0.009
DDH09-44	242.00	243.00	1.00	47601	0.011
DDH09-44	243.00	244.00	1.00	47602	0.12
DDH09-44	244.00	245.00	1.00	47603	0.058
DDH09-44	245.00	246.00	1.00	47604	0.071
DDH09-44	246.00	247.00	1.00	47605	0.017
DDH09-44	247.00	248.00	1.00	47606	0.328
DDH09-44	248.00	249.00	1.00	47607	0.025
DDH09-44	249.00	250.00	1.00	47609	0.08
DDH09-44	250.00	252.00	2.00	47610	0.036
DDH09-44	252.00	254.00	2.00	47611	0.024
DDH09-44	254.00	256.00	2.00	47612	0.007
DDH09-44	256.00	258.00	2.00	47613	0.036
DDH09-44	258.00	260.00	2.00	47614	0.008
DDH09-44	260.00	262.00	2.00	47615	0.034
DDH09-44	262.00	263.00	1.00	47617	0.074
DDH09-44	263.00	264.00	1.00	47618	0.068
DDH09-44	264.00	266.00	2.00	47619	0.062
DDH09-44	266.00	268.00	2.00	47620	0.052
DDH09-44	268.00	270.00	2.00	47621	0.01
DDH09-44	270.00	275.00	5.00	47622	0.039
EOH					