

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-46 : Au Assays Results					
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-46	0.00	5.00	5.00	47623	0.055
DDH09-46	5.00	10.00	5.00	47624	0.029
DDH09-46	10.00	15.00	5.00	47625	0.015
DDH09-46	15.00	20.00	5.00	47626	0.077
DDH09-46	20.00	25.00	5.00	47627	0.031
DDH09-46	25.00	30.00	5.00	47628	0.044
DDH09-46	30.00	35.00	5.00	47629	0.024
DDH09-46	35.00	40.00	5.00	47631	0.164
DDH09-46	40.00	45.00	5.00	47632	1.258
DDH09-46	45.00	50.00	5.00	47633	1.472
DDH09-46	50.00	55.00	5.00	47634	0.048
DDH09-46	55.00	60.00	5.00	47635	1.773
DDH09-46	60.00	65.00	5.00	47636	0.101
DDH09-46	65.00	70.00	5.00	47637	0.036
DDH09-46	70.00	75.00	5.00	47639	0.16
DDH09-46	75.00	80.00	5.00	47640	0.101
DDH09-46	80.00	82.00	2.00	47641	0.03
DDH09-46	82.00	84.00	2.00	47642	0.097
DDH09-46	84.00	86.00	2.00	47643	0.091
DDH09-46	86.00	88.00	2.00	47644	0.152
DDH09-46	88.00	90.00	2.00	47645	0.171
DDH09-46	90.00	92.00	2.00	47646	0.049
DDH09-46	92.00	94.00	2.00	47647	0.023
DDH09-46	94.00	96.00	2.00	47648	0.147
DDH09-46	96.00	98.00	2.00	47649	0.075
DDH09-46	98.00	100.00	2.00	47650	0.180
DDH09-46	100.00	101.00	1.00	47651	0.137
DDH09-46	101.00	102.00	1.00	47652	0.089
DDH09-46	102.00	103.00	1.00	47653	0.013
DDH09-46	103.00	104.00	1.00	47654	0.064
DDH09-46	104.00	105.00	1.00	47656	0.050
DDH09-46	105.00	106.00	1.00	47657	0.019
DDH09-46	106.00	107.00	1.00	47658	0.093
DDH09-46	107.00	108.00	1.00	47659	0.009
DDH09-46	108.00	109.00	1.00	47660	0.405
DDH09-46	109.00	110.00	1.00	47661	0.100
DDH09-46	110.00	111.00	1.00	47662	0.077
DDH09-46	111.00	112.00	1.00	47663	0.057
DDH09-46	112.00	113.00	1.00	47664	0.033
DDH09-46	113.00	114.00	1.00	47666	0.033
DDH09-46	114.00	115.00	1.00	47667	1.179
DDH09-46	115.00	116.00	1.00	47668	0.033
DDH09-46	116.00	117.00	1.00	47669	0.040
DDH09-46	117.00	118.00	1.00	47670	0.017
DDH09-46	118.00	119.00	1.00	47671	0.024
DDH09-46	119.00	120.00	1.00	47672	0.290
DDH09-46	120.00	121.00	1.00	47674	0.426
DDH09-46	121.00	122.00	1.00	47675	0.328
DDH09-46	122.00	123.00	1.00	47676	0.024
DDH09-46	123.00	124.00	1.00	47677	0.132
DDH09-46	124.00	125.00	1.00	47678	0.571
DDH09-46	125.00	126.00	1.00	47679	0.347
DDH09-46	126.00	127.00	1.00	47680	0.130
DDH09-46	127.00	128.00	1.00	47682	0.033
DDH09-46	128.00	129.00	1.00	47683	0.131
DDH09-46	129.00	130.00	1.00	47684	0.212
DDH09-46	130.00	131.00	1.00	47685	0.036
DDH09-46	131.00	132.00	1.00	47686	0.076
DDH09-46	132.00	133.00	1.00	47687	4.354
DDH09-46	133.00	134.00	1.00	47688	0.410
DDH09-46	134.00	135.00	1.00	47689	0.117
DDH09-46	135.00	136.00	1.00	47690	0.042
DDH09-46	136.00	137.00	1.00	47691	2.443
DDH09-46	137.00	138.00	1.00	47692	0.030
DDH09-46	138.00	139.00	1.00	47693	0.097

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-46	139.00	140.00	1.00	47694	0.163
DDH09-46	140.00	141.00	1.00	47695	0.178
DDH09-46	141.00	142.00	1.00	47696	5.592
DDH09-46	142.00	143.00	1.00	47697	8.871
DDH09-46	143.00	144.00	1.00	47699	0.053
DDH09-46	144.00	145.00	1.00	47700	0.993
DDH09-46	145.00	146.00	1.00	47701	0.251
DDH09-46	146.00	147.00	1.00	47702	0.035
DDH09-46	147.00	148.00	1.00	47703	0.064
DDH09-46	148.00	149.00	1.00	47704	0.060
DDH09-46	149.00	150.00	1.00	47705	0.352
DDH09-46	150.00	151.00	1.00	47706	0.257
DDH09-46	151.00	152.00	1.00	47707	0.212
DDH09-46	152.00	153.00	1.00	47709	0.240
DDH09-46	153.00	153.50	0.50	47710	5.898
DDH09-46	153.50	154.00	0.50	47711	1.196
DDH09-46	154.00	155.00	1.00	47712	0.546
DDH09-46	155.00	156.00	1.00	47713	0.332
DDH09-46	156.00	157.00	1.00	47714	0.067
DDH09-46	157.00	158.00	1.00	47715	1.172
DDH09-46	158.00	159.00	1.00	47717	0.829
DDH09-46	159.00	160.00	1.00	47718	0.109
DDH09-46	160.00	161.00	1.00	47719	0.062
DDH09-46	161.00	162.00	1.00	47720	0.026
DDH09-46	162.00	163.00	1.00	47721	0.037
DDH09-46	163.00	164.00	1.00	47722	0.016
DDH09-46	164.00	165.00	1.00	47723	0.007
DDH09-46	165.00	166.00	1.00	47725	0.575
DDH09-46	166.00	167.00	1.00	47726	4.239
DDH09-46	167.00	168.00	1.00	47727	0.109
DDH09-46	168.00	169.00	1.00	47728	0.137
DDH09-46	169.00	170.00	1.00	47729	0.088
DDH09-46	170.00	171.00	1.00	47730	0.017
DDH09-46	171.00	172.00	1.00	47731	0.063
DDH09-46	172.00	173.00	1.00	47732	0.053
DDH09-46	173.00	174.00	1.00	47733	0.011
DDH09-46	174.00	175.00	1.00	47734	0.039
DDH09-46	175.00	176.00	1.00	47735	0.006
DDH09-46	176.00	177.00	1.00	47736	0.016
DDH09-46	177.00	178.00	1.00	47737	0.036
DDH09-46	178.00	179.00	1.00	47738	0.026
DDH09-46	179.00	180.00	1.00	47739	0.018
DDH09-46	180.00	181.00	1.00	47740	0.028
DDH09-46	181.00	182.00	1.00	47742	0.243
DDH09-46	182.00	183.00	1.00	47743	0.025
DDH09-46	183.00	184.00	1.00	47744	0.011
DDH09-46	184.00	185.00	1.00	47745	0.04
DDH09-46	185.00	185.50	0.50	47746	0.058
DDH09-46	185.50	186.00	0.50	47747	0.03
DDH09-46	186.00	187.00	1.00	47748	0.019
DDH09-46	187.00	188.00	1.00	47749	0.272
DDH09-46	188.00	189.00	1.00	47750	0.103
DDH09-46	189.00	189.50	0.50	47752	<0.005
DDH09-46	189.50	190.00	0.50	47753	0.018
DDH09-46	190.00	191.00	1.00	47754	0.028
DDH09-46	191.00	192.00	1.00	47755	0.027
DDH09-46	192.00	193.00	1.00	47756	0.028
DDH09-46	193.00	194.00	1.00	47757	0.079
DDH09-46	194.00	195.00	1.00	47758	0.052
DDH09-46	195.00	196.00	1.00	47760	0.253
DDH09-46	196.00	197.00	1.00	47761	0.061
DDH09-46	197.00	198.00	1.00	47762	0.01
DDH09-46	198.00	198.50	0.50	47763	5.646
DDH09-46	198.50	199.00	0.50	47764	0.258
DDH09-46	199.00	200.00	1.00	47765	0.013
DDH09-46	200.00	202.00	2.00	47766	0.012
DDH09-46	202.00	204.00	2.00	47768	0.039
DDH09-46	204.00	206.00	2.00	47769	0.027

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-46	206.00	208.00	2.00	47770	0.015
DDH09-46	208.00	210.00	2.00	47771	0.022
DDH09-46	210.00	212.00	2.00	47772	0.025
DDH09-46	212.00	214.00	2.00	47773	0.026
DDH09-46	214.00	216.00	2.00	47774	0.011
DDH09-46	216.00	218.00	2.00	47775	0.1
DDH09-46	218.00	220.00	2.00	47776	0.045
DDH09-46	220.00	225.00	5.00	47777	0.048
DDH09-46	225.00	230.00	5.00	47778	0.034
DDH09-46	230.00	235.00	5.00	47779	0.028
DDH09-46	235.00	240.00	5.00	47780	0.114
DDH09-46	240.00	245.00	5.00	47781	0.084
DDH09-46	245.00	248.70	3.70	47782	0.01

EOH