

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-48 : Au Assays Results					
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-48	1.40	5.00	3.60	47783	0.074
DDH09-48	5.00	6.00	1.00	47784	0.169
DDH09-48	6.00	10.00	4.00	47786	0.022
DDH09-48	10.00	15.00	5.00	47787	0.018
DDH09-48	15.00	17.00	2.00	47788	0.035
DDH09-48	17.00	20.00	3.00	47789	0.079
DDH09-48	20.00	25.00	5.00	47790	0.032
DDH09-48	25.00	30.00	5.00	47791	0.158
DDH09-48	30.00	33.00	3.00	47792	0.034
DDH09-48	33.00	35.00	2.00	47794	0.092
DDH09-48	35.00	38.00	3.00	47795	0.031
DDH09-48	38.00	40.00	2.00	47796	0.05
DDH09-48	40.00	45.00	5.00	47797	0.067
DDH09-48	45.00	50.00	5.00	47798	0.358
DDH09-48	50.00	55.00	5.00	47799	0.145
DDH09-48	55.00	57.00	2.00	47800	0.04
DDH09-48	57.00	60.00	3.00	47802	0.039
DDH09-48	60.00	62.00	2.00	47803	0.051
DDH09-48	62.00	63.00	1.00	47804	0.03
DDH09-48	63.00	64.00	1.00	47805	0.061
DDH09-48	64.00	66.00	2.00	47806	0.026
DDH09-48	66.00	68.00	2.00	47807	0.021
DDH09-48	68.00	70.00	2.00	47808	0.025
DDH09-48	70.00	72.00	2.00	47809	0.173
DDH09-48	72.00	74.00	2.00	47810	0.511
DDH09-48	74.00	75.00	1.00	47811	1.275
DDH09-48	75.00	76.00	1.00	47812	0.009
DDH09-48	76.00	78.00	2.00	47813	0.006
DDH09-48	78.00	80.00	2.00	47814	0.143
DDH09-48	80.00	81.00	1.00	47815	0.148
DDH09-48	81.00	82.00	1.00	47816	0.043
DDH09-48	82.00	83.00	1.00	47817	0.86
DDH09-48	83.00	84.00	1.00	47819	0.063
DDH09-48	84.00	85.00	1.00	47820	0.045
DDH09-48	85.00	86.00	1.00	47821	0.014
DDH09-48	86.00	87.00	1.00	47822	0.034
DDH09-48	87.00	88.00	1.00	47823	0.165
DDH09-48	88.00	89.00	1.00	47824	0.011
DDH09-48	89.00	90.00	1.00	47825	0.019
DDH09-48	90.00	91.00	1.00	47826	0.01
DDH09-48	91.00	92.00	1.00	47827	0.029
DDH09-48	92.00	93.00	1.00	47829	0.099
DDH09-48	93.00	94.00	1.00	47830	0.055
DDH09-48	94.00	95.00	1.00	47831	0.37
DDH09-48	95.00	96.00	1.00	47832	1.939
DDH09-48	96.00	97.00	1.00	47833	2.397
DDH09-48	97.00	98.00	1.00	47834	0.078
DDH09-48	98.00	99.00	1.00	47835	0.982
DDH09-48	99.00	100.00	1.00	47837	0.216
DDH09-48	100.00	101.00	1.00	47838	0.048
DDH09-48	101.00	102.00	1.00	47839	0.087
DDH09-48	102.00	103.00	1.00	47840	0.065
DDH09-48	103.00	104.00	1.00	47841	0.013
DDH09-48	104.00	105.00	1.00	47842	0.023
DDH09-48	105.00	106.00	1.00	47843	0.072
DDH09-48	106.00	107.00	1.00	47845	0.016
DDH09-48	107.00	108.00	1.00	47846	0.02
DDH09-48	108.00	109.00	1.00	47847	0.195
DDH09-48	109.00	110.00	1.00	47848	0.086
DDH09-48	110.00	111.00	1.00	47849	0.088
DDH09-48	111.00	112.00	1.00	47850	0.01
DDH09-48	112.00	113.00	1.00	47851	0.166
DDH09-48	113.00	114.00	1.00	47852	0.212
DDH09-48	114.00	115.00	1.00	47853	0.053
DDH09-48	115.00	116.00	1.00	47854	0.164

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-48	116.00	117.00	1.00	47855	0.079
DDH09-48	117.00	118.00	1.00	47856	0.103
DDH09-48	118.00	119.00	1.00	47857	1.754
DDH09-48	119.00	120.00	1.00	47858	0.26
DDH09-48	120.00	121.00	1.00	47859	0.498
DDH09-48	121.00	122.00	1.00	47860	0.12
DDH09-48	122.00	123.00	1.00	47862	0.063
DDH09-48	123.00	124.00	1.00	47863	0.028
DDH09-48	124.00	125.00	1.00	47864	0.02
DDH09-48	125.00	126.00	1.00	47865	0.037
DDH09-48	126.00	127.00	1.00	47866	0.617
DDH09-48	127.00	128.00	1.00	47867	1.175
DDH09-48	128.00	129.00	1.00	47868	0.738
DDH09-48	129.00	130.00	1.00	47869	1.651
DDH09-48	130.00	131.00	1.00	47870	2.811
DDH09-48	131.00	132.00	1.00	47872	4.487
DDH09-48	132.00	133.00	1.00	47873	3.677
DDH09-48	133.00	134.00	1.00	47874	2.367
DDH09-48	134.00	135.00	1.00	47875	4.007
DDH09-48	135.00	136.00	1.00	47876	2.381
DDH09-48	136.00	137.00	1.00	47877	1.686
DDH09-48	137.00	138.00	1.00	47878	1.962
DDH09-48	138.00	138.50	0.50	47880	1.979
DDH09-48	138.50	139.00	0.50	47881	2.046
DDH09-48	139.00	140.00	1.00	47882	0.2
DDH09-48	140.00	141.00	1.00	47883	0.195
DDH09-48	141.00	142.00	1.00	47884	0.049
DDH09-48	142.00	143.00	1.00	47885	0.028
DDH09-48	143.00	144.00	1.00	47886	0.063
DDH09-48	144.00	145.00	1.00	47888	5.535
DDH09-48	145.00	146.00	1.00	47889	0.35
DDH09-48	146.00	147.00	1.00	47890	0.031
DDH09-48	147.00	148.00	1.00	47891	0.739
DDH09-48	148.00	149.00	1.00	47892	0.119
DDH09-48	149.00	150.00	1.00	47893	1.557
DDH09-48	150.00	151.00	1.00	47894	0.98
DDH09-48	151.00	152.00	1.00	47895	0.074
DDH09-48	152.00	153.00	1.00	47896	0.019
DDH09-48	153.00	154.00	1.00	47897	0.164
DDH09-48	154.00	155.00	1.00	47898	0.179
DDH09-48	155.00	156.00	1.00	47899	0.098
DDH09-48	156.00	157.00	1.00	47900	0.036
DDH09-48	157.00	158.00	1.00	47901	0.035
DDH09-48	158.00	159.00	1.00	47902	0.069
DDH09-48	159.00	160.00	1.00	47903	0.026
DDH09-48	160.00	161.00	1.00	47905	0.103
DDH09-48	161.00	162.00	1.00	47906	0.014
DDH09-48	162.00	163.00	1.00	47907	0.012
DDH09-48	163.00	164.00	1.00	47908	0.058
DDH09-48	164.00	165.00	1.00	47909	0.049
DDH09-48	165.00	166.00	1.00	47910	<0.005
DDH09-48	166.00	167.00	1.00	47911	0.011
DDH09-48	167.00	168.00	1.00	47912	0.085
DDH09-48	168.00	169.00	1.00	47913	0.039
DDH09-48	169.00	170.00	1.00	47915	0.315
DDH09-48	170.00	171.00	1.00	47916	0.034
DDH09-48	171.00	172.00	1.00	47917	0.016
DDH09-48	172.00	173.00	1.00	47918	0.012
DDH09-48	173.00	174.00	1.00	47919	0.037
DDH09-48	174.00	175.00	1.00	47920	0.019
DDH09-48	175.00	176.00	1.00	47921	0.04
DDH09-48	176.00	177.00	1.00	47923	0.007
DDH09-48	177.00	178.00	1.00	47924	0.75
DDH09-48	178.00	178.50	0.50	47925	0.064
DDH09-48	178.50	179.00	0.50	47926	0.114
DDH09-48	179.00	180.00	1.00	47927	0.093
DDH09-48	180.00	181.00	1.00	47928	0.094
DDH09-48	181.00	182.00	1.00	47929	0.027

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-48	182.00	183.00	1.00	47931	0.093
DDH09-48	183.00	184.00	1.00	47932	0.186
DDH09-48	184.00	185.00	1.00	47933	0.012
DDH09-48	185.00	186.00	1.00	47934	0.005
DDH09-48	186.00	187.00	1.00	47935	0.018
DDH09-48	187.00	188.00	1.00	47936	0.027
DDH09-48	188.00	189.00	1.00	47937	0.061
DDH09-48	189.00	190.00	1.00	47938	0.019
DDH09-48	190.00	191.00	1.00	47939	0.021
DDH09-48	191.00	192.00	1.00	47940	0.188
DDH09-48	192.00	193.00	1.00	47941	0.036
DDH09-48	193.00	194.00	1.00	47942	0.117
DDH09-48	194.00	195.00	1.00	47943	0.029
DDH09-48	195.00	196.00	1.00	47944	0.016
DDH09-48	196.00	197.00	1.00	47945	0.01
DDH09-48	197.00	198.00	1.00	47946	0.022
DDH09-48	198.00	199.00	1.00	47948	0.01
DDH09-48	199.00	200.00	1.00	47949	0.008
DDH09-48	200.00	201.00	1.00	47950	0.014
DDH09-48	201.00	202.00	1.00	47951	0.014
DDH09-48	202.00	203.00	1.00	47952	0.017
DDH09-48	203.00	204.00	1.00	47953	0.039
DDH09-48	204.00	204.50	0.50	47954	0.069
DDH09-48	204.50	205.00	0.50	47955	0.075
DDH09-48	205.00	206.00	1.00	47956	0.075
DDH09-48	206.00	207.00	1.00	47958	0.029
DDH09-48	207.00	208.00	1.00	47959	0.163
DDH09-48	208.00	209.00	1.00	47960	0.911
DDH09-48	209.00	210.00	1.00	47961	0.219
DDH09-48	210.00	211.00	1.00	47962	0.126
DDH09-48	211.00	212.00	1.00	47963	0.045
DDH09-48	212.00	213.00	1.00	47964	0.018
DDH09-48	213.00	214.00	1.00	47966	0.091
DDH09-48	214.00	215.00	1.00	47967	0.055
DDH09-48	215.00	216.00	1.00	47968	0.031
DDH09-48	216.00	217.00	1.00	47969	0.061
DDH09-48	217.00	218.00	1.00	47970	0.038
DDH09-48	218.00	219.00	1.00	47971	0.024
DDH09-48	219.00	220.00	1.00	47972	0.128
DDH09-48	220.00	221.00	1.00	47974	0.02
DDH09-48	221.00	222.00	1.00	47975	0.025
DDH09-48	222.00	223.00	1.00	47976	0.025
DDH09-48	223.00	224.00	1.00	47977	0.015
DDH09-48	224.00	225.00	1.00	47978	0.013
DDH09-48	225.00	226.00	1.00	47979	0.014
DDH09-48	226.00	227.00	1.00	47980	0.006
DDH09-48	227.00	228.00	1.00	47981	<0.005
DDH09-48	228.00	228.50	0.50	47982	0.043
DDH09-48	228.50	229.00	0.50	47983	0.04
DDH09-48	229.00	229.50	0.50	47984	<0.005
DDH09-48	229.50	230.00	0.50	47985	<0.005
DDH09-48	230.00	231.00	1.00	47986	0.009
DDH09-48	231.00	232.00	1.00	47987	0.023
DDH09-48	232.00	234.00	2.00	47988	0.036
DDH09-48	234.00	236.00	2.00	47989	0.044
DDH09-48	236.00	238.00	2.00	47991	0.022
DDH09-48	238.00	240.00	2.00	47992	0.117
DDH09-48	240.00	242.00	2.00	47993	0.006
DDH09-48	242.00	244.00	2.00	47994	0.009
DDH09-48	244.00	245.00	1.00	47995	0.023
DDH09-48	245.00	246.00	1.00	47996	0.015
DDH09-48	246.00	248.00	2.00	47997	0.011
DDH09-48	248.00	250.00	2.00	47998	<0.005
DDH09-48	250.00	253.30	3.30	47999	0.226
EOH					