

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-49 : Au Assays Results					
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-49	1.50	5.00	3.50	47304	0.047
DDH09-49	5.00	10.00	5.00	47305	0.038
DDH09-49	10.00	15.00	5.00	47306	0.072
DDH09-49	15.00	20.00	5.00	47307	0.083
DDH09-49	20.00	25.00	5.00	47308	0.007
DDH09-49	25.00	30.00	5.00	47309	0.049
DDH09-49	30.00	35.00	5.00	47310	0.742
DDH09-49	35.00	40.00	5.00	47312	0.039
DDH09-49	40.00	45.00	5.00	47313	0.009
DDH09-49	45.00	50.00	5.00	47314	0.018
DDH09-49	50.00	55.00	5.00	47315	0.1
DDH09-49	55.00	60.00	5.00	47316	0.029
DDH09-49	60.00	65.00	5.00	47317	0.048
DDH09-49	65.00	70.00	5.00	47318	0.044
DDH09-49	70.00	72.00	2.00	47320	0.138
DDH09-49	72.00	74.00	2.00	47321	0.139
DDH09-49	74.00	76.00	2.00	47322	0.076
DDH09-49	76.00	78.00	2.00	47323	0.152
DDH09-49	78.00	80.00	2.00	47324	0.075
DDH09-49	80.00	82.00	2.00	47325	0.02
DDH09-49	82.00	84.00	2.00	47326	0.284
DDH09-49	84.00	86.00	2.00	47327	0.146
DDH09-49	86.00	88.00	2.00	47328	0.031
DDH09-49	88.00	90.00	2.00	47329	0.016
DDH09-49	90.00	91.00	1.00	47330	0.019
DDH09-49	91.00	92.00	1.00	47331	0.013
DDH09-49	92.00	93.00	1.00	47332	0.015
DDH09-49	93.00	94.00	1.00	47333	0.085
DDH09-49	94.00	94.50	0.50	47334	0.047
DDH09-49	94.50	95.00	0.50	47335	0.097
DDH09-49	95.00	96.00	1.00	47337	0.036
DDH09-49	96.00	97.00	1.00	47338	0.029
DDH09-49	97.00	98.00	1.00	47339	0.014
DDH09-49	98.00	99.00	1.00	47340	0.007
DDH09-49	99.00	100.00	1.00	47341	0.059
DDH09-49	100.00	101.00	1.00	47342	0.019
DDH09-49	101.00	102.00	1.00	47343	0.029
DDH09-49	102.00	102.50	0.50	47344	0.269
DDH09-49	102.50	103.00	0.50	47345	0.125
DDH09-49	103.00	104.00	1.00	47347	0.016
DDH09-49	104.00	105.00	1.00	47348	0.007
DDH09-49	105.00	106.00	1.00	47349	0.02
DDH09-49	106.00	107.00	1.00	47350	0.019
DDH09-49	107.00	108.00	1.00	47351	3.37
DDH09-49	108.00	109.00	1.00	47352	0.013
DDH09-49	109.00	110.00	1.00	47353	1.884
DDH09-49	110.00	111.00	1.00	47355	0.18
DDH09-49	111.00	112.00	1.00	47356	0.053
DDH09-49	112.00	113.00	1.00	47357	0.033
DDH09-49	113.00	114.00	1.00	47358	0.016
DDH09-49	114.00	114.50	0.50	47359	0.055
DDH09-49	114.50	115.00	0.50	47360	0.073
DDH09-49	115.00	116.00	1.00	47361	0.018
DDH09-49	116.00	117.00	1.00	47363	0.05
DDH09-49	117.00	118.00	1.00	47364	0.043
DDH09-49	118.00	119.00	1.00	47365	0.094
DDH09-49	119.00	120.00	1.00	47366	0.062
DDH09-49	120.00	121.00	1.00	47367	0.077
DDH09-49	121.00	122.00	1.00	47368	0.022
DDH09-49	122.00	123.00	1.00	47369	0.031
DDH09-49	123.00	124.00	1.00	47370	0.103
DDH09-49	124.00	124.50	0.50	47371	0.018
DDH09-49	124.50	125.00	0.50	47372	0.019
DDH09-49	125.00	126.00	1.00	47373	0.049
DDH09-49	126.00	127.00	1.00	47374	0.044

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-49	127.00	128.00	1.00	47375	0.059
DDH09-49	128.00	129.00	1.00	47376	0.077
DDH09-49	129.00	130.00	1.00	47377	0.019
DDH09-49	130.00	131.00	1.00	47378	0.523
DDH09-49	131.00	132.00	1.00	47380	0.169
DDH09-49	132.00	133.00	1.00	47381	0.015
DDH09-49	133.00	134.00	1.00	47382	0.934
DDH09-49	134.00	135.00	1.00	47383	0.016
DDH09-49	135.00	136.00	1.00	47384	0.085
DDH09-49	136.00	136.50	0.50	47385	0.022
DDH09-49	136.50	137.00	0.50	47386	<0.005
DDH09-49	137.00	138.00	1.00	47387	0.105
DDH09-49	138.00	139.00	1.00	47388	0.334
DDH09-49	139.00	140.00	1.00	47390	0.011
DDH09-49	140.00	141.00	1.00	47391	0.01
DDH09-49	141.00	142.00	1.00	47392	0.138
DDH09-49	142.00	143.00	1.00	47393	0.03
DDH09-49	143.00	144.00	1.00	47394	0.008
DDH09-49	144.00	145.00	1.00	47395	0.013
DDH09-49	145.00	146.00	1.00	47396	0.232
DDH09-49	146.00	147.00	1.00	47398	0.191
DDH09-49	147.00	148.00	1.00	47399	0.045
DDH09-49	148.00	149.00	1.00	47400	0.475
DDH09-49	149.00	150.00	1.00	47401	0.042
DDH09-49	150.00	151.00	1.00	47402	0.012
DDH09-49	151.00	152.00	1.00	47403	0.032
DDH09-49	152.00	153.00	1.00	47404	0.021
DDH09-49	153.00	154.00	1.00	47406	5.905
DDH09-49	154.00	155.00	1.00	47407	0.078
DDH09-49	155.00	156.00	1.00	47408	0.014
DDH09-49	156.00	157.00	1.00	47409	0.01
DDH09-49	157.00	158.00	1.00	47410	0.031
DDH09-49	158.00	159.00	1.00	47411	0.102
DDH09-49	159.00	160.00	1.00	47412	0.019
DDH09-49	160.00	161.00	1.00	47413	0.343
DDH09-49	161.00	162.00	1.00	47414	0.032
DDH09-49	162.00	163.00	1.00	47415	0.059
DDH09-49	163.00	164.00	1.00	47416	0.021
DDH09-49	164.00	165.00	1.00	47417	0.027
DDH09-49	165.00	166.00	1.00	47418	0.022
DDH09-49	166.00	167.00	1.00	47419	0.015
DDH09-49	167.00	168.00	1.00	47420	0.206
DDH09-49	168.00	169.00	1.00	47421	0.018
DDH09-49	169.00	170.00	1.00	47423	0.016
DDH09-49	170.00	171.00	1.00	47424	0.01
DDH09-49	171.00	172.00	1.00	47425	0.006
DDH09-49	172.00	173.00	1.00	47426	0.017
DDH09-49	173.00	174.00	1.00	47427	0.615
DDH09-49	174.00	175.00	1.00	47428	0.024
DDH09-49	175.00	176.00	1.00	47429	0.151
DDH09-49	176.00	177.00	1.00	47430	<0.005
DDH09-49	177.00	178.00	1.00	47431	0.018
DDH09-49	178.00	179.00	1.00	47433	0.007
DDH09-49	179.00	180.00	1.00	47434	0.03
DDH09-49	180.00	181.00	1.00	47435	0.112
DDH09-49	181.00	182.00	1.00	47436	0.006
DDH09-49	182.00	183.00	1.00	47437	0.053
DDH09-49	183.00	184.00	1.00	47438	0.009
DDH09-49	184.00	185.00	1.00	47439	0.1
DDH09-49	185.00	185.50	0.50	47441	0.089
DDH09-49	185.50	186.00	0.50	47442	0.019
DDH09-49	186.00	187.00	1.00	47443	0.005
DDH09-49	187.00	187.50	0.50	47444	0.005
DDH09-49	187.50	188.00	0.50	47445	0.015
DDH09-49	188.00	188.50	0.50	47446	0.023
DDH09-49	188.50	189.00	0.50	47447	<0.005
DDH09-49	189.00	190.00	1.00	47449	0.954
DDH09-49	190.00	191.50	1.50	47450	0.032

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-49	191.50	192.00	0.50	47451	0.007
DDH09-49	192.00	194.00	2.00	47452	0.007
DDH09-49	194.00	196.00	2.00	47453	0.058
DDH09-49	196.00	198.00	2.00	47454	0.007
DDH09-49	198.00	200.00	2.00	47455	0.035
DDH09-49	200.00	202.00	2.00	47456	0.018
DDH09-49	202.00	204.00	2.00	47457	0.018
DDH09-49	204.00	206.00	2.00	47458	0.012
DDH09-49	206.00	208.00	2.00	47459	<0.005
DDH09-49	208.00	210.00	2.00	47460	0.964
DDH09-49	210.00	215.00	5.00	47461	1.912
DDH09-49	215.00	220.00	5.00	47462	0.113
DDH09-49	220.00	225.00	5.00	47463	0.052
DDH09-49	225.00	226.00	1.00	47464	0.198
DDH09-49	226.00	227.00	1.00	47466	0.282
DDH09-49	227.00	230.00	3.00	47467	0.103
DDH09-49	230.00	235.00	5.00	47468	0.039
DDH09-49	235.00	238.00	3.00	47469	0.017
DDH09-49	238.00	240.00	2.00	47470	0.007
DDH09-49	240.00	245.00	5.00	47471	0.135
DDH09-49	245.00	250.00	5.00	47472	0.012
DDH09-49	250.00	255.00	5.00	47473	0.036
DDH09-49	255.00	260.00	5.00	47474	0.079
DDH09-49	260.00	265.00	5.00	47476	0.186
DDH09-49	265.00	270.70	5.70	47477	0.026

EOH