

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-50 : Au Assays Results					
HOLE ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-50	6.90	10.00	3.10	45251	0.019
DDH09-50	10.00	15.00	5.00	45252	<0.005
DDH09-50	15.00	20.00	5.00	45253	0.034
DDH09-50	20.00	25.00	5.00	45254	0.014
DDH09-50	25.00	30.00	5.00	45255	0.007
DDH09-50	30.00	35.00	5.00	45257	0.007
DDH09-50	35.00	40.00	5.00	45258	0.006
DDH09-50	40.00	45.00	5.00	45259	0.006
DDH09-50	45.00	50.00	5.00	45260	0.01
DDH09-50	50.00	55.00	5.00	45261	0.009
DDH09-50	55.00	60.00	5.00	45262	0.029
DDH09-50	60.00	65.00	5.00	45263	0.011
DDH09-50	65.00	70.00	5.00	45265	0.031
DDH09-50	70.00	75.00	5.00	45266	0.019
DDH09-50	75.00	80.00	5.00	45267	0.022
DDH09-50	80.00	85.00	5.00	45268	0.048
DDH09-50	85.00	90.00	5.00	45269	0.01
DDH09-50	90.00	95.00	5.00	45270	0.026
DDH09-50	95.00	100.00	5.00	45271	0.013
DDH09-50	100.00	105.00	5.00	45272	0.023
DDH09-50	105.00	110.00	5.00	45273	0.049
DDH09-50	110.00	115.00	5.00	45274	0.024
DDH09-50	115.00	120.00	5.00	45275	0.163
DDH09-50	120.00	125.00	5.00	45276	0.102
DDH09-50	125.00	130.00	5.00	45277	0.034
DDH09-50	130.00	135.00	5.00	45278	0.077
DDH09-50	135.00	140.00	5.00	45279	0.043
DDH09-50	140.00	143.50	3.50	45280	0.035
DDH09-50	143.50	145.00	1.50	45282	2.544
DDH09-50	145.00	150.00	5.00	45283	0.023
DDH09-50	150.00	152.00	2.00	45284	0.019
DDH09-50	152.00	153.00	1.00	45285	0.139
DDH09-50	153.00	155.00	2.00	45286	0.015
DDH09-50	155.00	160.00	5.00	45287	0.063
DDH09-50	160.00	165.00	5.00	45288	0.991
DDH09-50	165.00	170.00	5.00	45289	0.036
DDH09-50	170.00	175.00	5.00	45290	0.068
DDH09-50	175.00	180.00	5.00	45292	0.033
DDH09-50	180.00	185.00	5.00	45293	0.042
DDH09-50	185.00	190.00	5.00	45294	0.037
DDH09-50	190.00	195.00	5.00	45295	0.024
DDH09-50	195.00	200.00	5.00	45296	0.021
DDH09-50	200.00	205.00	5.00	45297	0.029
DDH09-50	205.00	210.00	5.00	45298	0.022
DDH09-50	210.00	215.00	5.00	45300	0.016
DDH09-50	215.00	217.00	2.00	45301	0.012
DDH09-50	217.00	220.00	3.00	45302	0.049
DDH09-50	220.00	224.00	4.00	45303	0.017
DDH09-50	224.00	225.00	1.00	45304	0.017
DDH09-50	225.00	230.00	5.00	45305	0.006
DDH09-50	230.00	235.00	5.00	45306	0.039
DDH09-50	235.00	240.00	5.00	45308	0.031
DDH09-50	240.00	245.00	5.00	45309	0.014
DDH09-50	245.00	250.00	5.00	45310	0.019
DDH09-50	250.00	252.00	2.00	45311	0.032
DDH09-50	252.00	254.00	2.00	45312	0.07
DDH09-50	254.00	256.00	2.00	45313	0.06
DDH09-50	256.00	258.00	2.00	45314	0.055
DDH09-50	258.00	260.00	2.00	45315	0.048
DDH09-50	260.00	262.00	2.00	45316	0.138
DDH09-50	262.00	264.00	2.00	45317	0.063
DDH09-50	264.00	266.00	2.00	45318	0.048
DDH09-50	266.00	268.00	2.00	45319	0.039
DDH09-50	268.00	270.00	2.00	45320	0.053
DDH09-50	270.00	272.00	2.00	45321	0.067

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-50	272.00	274.00	2.00	45322	0.041
DDH09-50	274.00	276.00	2.00	45323	0.036
DDH09-50	276.00	278.00	2.00	45325	0.206
DDH09-50	278.00	280.00	2.00	49501	0.069
DDH09-50	280.00	282.00	2.00	49502	0.03
DDH09-50	282.00	284.00	2.00	49503	0.062
DDH09-50	284.00	286.00	2.00	49504	0.046
DDH09-50	286.00	288.00	2.00	49505	0.091
DDH09-50	288.00	290.00	2.00	49506	0.054
DDH09-50	290.00	292.00	2.00	49507	0.27
DDH09-50	292.00	294.00	2.00	49508	0.281
DDH09-50	294.00	296.00	2.00	49510	0.085
DDH09-50	296.00	298.00	2.00	49511	0.298
DDH09-50	298.00	300.00	2.00	49512	0.071
DDH09-50	300.00	302.00	2.00	49513	0.076
DDH09-50	302.00	304.00	2.00	49514	0.145
DDH09-50	304.00	306.00	2.00	49515	0.09
DDH09-50	306.00	308.00	2.00	49516	0.528
DDH09-50	308.00	310.00	2.00	49518	4.149
DDH09-50	310.00	312.00	2.00	49519	15.23
DDH09-50	312.00	314.00	2.00	49520	4.76
DDH09-50	314.00	316.00	2.00	49521	7.834
DDH09-50	316.00	318.00	2.00	49522	0.291
DDH09-50	318.00	320.00	2.00	49523	0.155
DDH09-50	320.00	322.00	2.00	49524	0.071
DDH09-50	322.00	324.00	2.00	49526	0.268
DDH09-50	324.00	326.00	2.00	49527	0.845
DDH09-50	326.00	328.00	2.00	49528	0.235
DDH09-50	328.00	330.00	2.00	49529	0.082
DDH09-50	330.00	332.00	2.00	49530	0.159
DDH09-50	332.00	334.00	2.00	49531	0.046
DDH09-50	334.00	336.00	2.00	49532	0.066
DDH09-50	336.00	338.00	2.00	49533	0.061
DDH09-50	338.00	340.00	2.00	49534	0.066
DDH09-50	340.00	342.00	2.00	49535	0.118
DDH09-50	342.00	344.00	2.00	49536	0.092
DDH09-50	344.00	346.00	2.00	49537	0.046
DDH09-50	346.00	348.00	2.00	49538	0.072
DDH09-50	348.00	350.00	2.00	49539	0.023
DDH09-50	350.00	351.00	1.00	49540	0.012
DDH09-50	351.00	352.00	1.00	49541	0.013
DDH09-50	352.00	353.00	1.00	49543	0.128
DDH09-50	353.00	354.00	1.00	49544	0.013
DDH09-50	354.00	355.00	1.00	49545	0.011
DDH09-50	355.00	356.00	1.00	49546	0.021
DDH09-50	356.00	357.00	1.00	49547	0.176
DDH09-50	357.00	358.00	1.00	49548	0.076
DDH09-50	358.00	359.00	1.00	49549	0.08
DDH09-50	359.00	360.00	1.00	49550	0.097
DDH09-50	360.00	361.00	1.00	49551	0.151
DDH09-50	361.00	362.00	1.00	49553	0.146
DDH09-50	362.00	363.00	1.00	49554	0.022
DDH09-50	363.00	364.00	1.00	49555	0.021
DDH09-50	364.00	365.00	1.00	49556	0.015
DDH09-50	365.00	366.00	1.00	49557	0.012
DDH09-50	366.00	367.00	1.00	49558	0.011
DDH09-50	367.00	368.00	1.00	49559	0.158
DDH09-50	368.00	369.00	1.00	49561	0.034
DDH09-50	369.00	370.00	1.00	49562	0.041
DDH09-50	370.00	371.00	1.00	49563	0.168
DDH09-50	371.00	372.00	1.00	49564	0.163
DDH09-50	372.00	373.00	1.00	49565	0.132
DDH09-50	373.00	374.00	1.00	49566	0.145
DDH09-50	374.00	375.00	1.00	49567	0.125
DDH09-50	375.00	376.00	1.00	49569	0.105
DDH09-50	376.00	377.00	1.00	49570	0.069
DDH09-50	377.00	378.00	1.00	49571	0.038
DDH09-50	378.00	379.00	1.00	49572	0.283

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-50	379.00	380.00	1.00	49573	0.2
DDH09-50	380.00	381.00	1.00	49574	0.149
DDH09-50	381.00	382.00	1.00	49575	2.084
DDH09-50	382.00	383.00	1.00	49576	1.321
DDH09-50	383.00	384.00	1.00	49577	0.483
DDH09-50	384.00	385.00	1.00	49578	1.183
DDH09-50	385.00	386.00	1.00	49579	1.155
DDH09-50	386.00	387.00	1.00	49580	0.321
DDH09-50	387.00	388.00	1.00	49581	0.023
DDH09-50	388.00	389.00	1.00	49582	<0.005
DDH09-50	389.00	390.00	1.00	49583	0.05
DDH09-50	390.00	391.00	1.00	49584	0.009
DDH09-50	391.00	392.00	1.00	49586	0.078
DDH09-50	392.00	393.00	1.00	49587	0.348
DDH09-50	393.00	394.00	1.00	49588	0.025
DDH09-50	394.00	395.00	1.00	49589	0.023
DDH09-50	395.00	396.00	1.00	49590	0.995
DDH09-50	396.00	397.00	1.00	49591	0.011
DDH09-50	397.00	398.00	1.00	49592	0.111
DDH09-50	398.00	399.00	1.00	49593	1.007
DDH09-50	399.00	400.00	1.00	49594	0.45
DDH09-50	400.00	401.00	1.00	49596	0.046
DDH09-50	401.00	402.00	1.00	49597	0.881
DDH09-50	402.00	403.00	1.00	49598	2.157
DDH09-50	403.00	404.00	1.00	49599	2.306
DDH09-50	404.00	405.00	1.00	49600	0.19
DDH09-50	405.00	406.00	1.00	49601	2.196
DDH09-50	406.00	407.00	1.00	49602	0.062
DDH09-50	407.00	408.00	1.00	49604	1.13
DDH09-50	408.00	409.00	1.00	49605	0.976
DDH09-50	409.00	410.00	1.00	49606	1.194
DDH09-50	410.00	411.00	1.00	49607	2.79
DDH09-50	411.00	412.00	1.00	49608	2.138
DDH09-50	412.00	412.80	0.80	49609	0.622
DDH09-50	412.80	414.00	1.20	51768	0.006
DDH09-50	414.00	415.00	1.00	51769	0.101
DDH09-50	415.00	416.00	1.00	51770	0.02
DDH09-50	416.00	417.00	1.00	51771	<0.005
DDH09-50	417.00	418.00	1.00	51772	0.014
DDH09-50	418.00	419.00	1.00	51774	0.024
DDH09-50	419.00	420.00	1.00	51775	0.02
DDH09-50	420.00	421.00	1.00	51776	0.181
DDH09-50	421.00	422.00	1.00	51777	0.046
DDH09-50	422.00	423.00	1.00	51778	0.156
DDH09-50	423.00	424.00	1.00	51779	0.248
DDH09-50	424.00	425.00	1.00	51780	0.093
DDH09-50	425.00	425.50	0.50	51781	<0.005
DDH09-50	425.50	426.00	0.50	51783	0.007
DDH09-50	426.00	426.50	0.50	51784	0.033
DDH09-50	426.50	427.00	0.50	51785	<0.005
DDH09-50	427.00	428.00	1.00	51786	0.007
DDH09-50	428.00	429.00	1.00	51787	0.795
DDH09-50	429.00	430.00	1.00	51788	0.045
DDH09-50	430.00	431.00	1.00	51790	0.027
DDH09-50	431.00	432.00	1.00	51791	0.286
DDH09-50	432.00	433.00	1.00	51792	0.183
DDH09-50	433.00	434.00	1.00	51793	0.035
DDH09-50	434.00	435.00	1.00	51794	0.02
DDH09-50	435.00	436.00	1.00	51795	0.05
DDH09-50	436.00	437.00	1.00	51796	0.138
DDH09-50	437.00	438.00	1.00	51797	0.065
DDH09-50	438.00	439.00	1.00	51798	0.073
DDH09-50	439.00	440.00	1.00	51800	0.022
DDH09-50	440.00	441.00	1.00	51801	0.019
DDH09-50	441.00	442.00	1.00	51802	0.064
DDH09-50	442.00	443.00	1.00	51803	0.055
DDH09-50	443.00	444.00	1.00	51804	0.033
DDH09-50	444.00	445.00	1.00	51806	0.051

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-50	445.00	446.00	1.00	51807	0.025
DDH09-50	446.00	447.00	1.00	51808	0.013
DDH09-50	447.00	448.00	1.00	51809	0.006
DDH09-50	448.00	449.00	1.00	51810	0.021
DDH09-50	449.00	450.00	1.00	51811	0.01
DDH09-50	450.00	451.00	1.00	51812	0.026
DDH09-50	451.00	452.00	1.00	51814	0.018
DDH09-50	452.00	453.00	1.00	51815	0.02
DDH09-50	453.00	454.00	1.00	51816	0.024
DDH09-50	454.00	455.00	1.00	51817	0.032
DDH09-50	455.00	456.00	1.00	51818	0.019
DDH09-50	456.00	457.00	1.00	51819	0.012
DDH09-50	457.00	458.00	1.00	51820	0.015
DDH09-50	458.00	459.00	1.00	51822	0.012
DDH09-50	459.00	460.00	1.00	51823	0.055
DDH09-50	460.00	461.00	1.00	51824	0.015
DDH09-50	461.00	462.00	1.00	51825	0.081
DDH09-50	462.00	463.00	1.00	51826	0.073
DDH09-50	463.00	464.00	1.00	51827	0.098
DDH09-50	464.00	465.00	1.00	51828	0.466
DDH09-50	465.00	466.00	1.00	51830	0.07
DDH09-50	466.00	467.00	1.00	51831	0.019
DDH09-50	467.00	468.00	1.00	51832	0.043
DDH09-50	468.00	469.00	1.00	51833	0.331
DDH09-50	469.00	470.00	1.00	51834	0.043
DDH09-50	470.00	471.00	1.00	51835	0.382
DDH09-50	471.00	472.00	1.00	51836	0.105
DDH09-50	472.00	473.00	1.00	51838	0.748
DDH09-50	473.00	474.00	1.00	51839	0.166
DDH09-50	474.00	475.00	1.00	51840	0.154
DDH09-50	475.00	476.00	1.00	51841	0.143
DDH09-50	476.00	477.00	1.00	51842	0.051
DDH09-50	477.00	478.00	1.00	51843	0.106
DDH09-50	478.00	479.00	1.00	51844	0.06
DDH09-50	479.00	480.00	1.00	51845	0.093
DDH09-50	480.00	481.00	1.00	51847	0.013
DDH09-50	481.00	482.00	1.00	51848	0.014
DDH09-50	482.00	483.00	1.00	51849	0.041
DDH09-50	483.00	484.00	1.00	51850	0.033
DDH09-50	484.00	485.00	1.00	51851	0.074
DDH09-50	485.00	486.00	1.00	51852	0.009
DDH09-50	486.00	486.50	0.50	51854	0.008
DDH09-50	486.50	487.00	0.50	51855	0.709
DDH09-50	487.00	487.50	0.50	51856	0.011
DDH09-50	487.50	488.00	0.50	51857	0.013
DDH09-50	488.00	488.50	0.50	51858	0.086
DDH09-50	488.50	489.00	0.50	51859	0.133
DDH09-50	489.00	490.00	1.00	51860	0.06
DDH09-50	490.00	491.00	1.00	51861	0.018
DDH09-50	491.00	492.00	1.00	51862	0.022
DDH09-50	492.00	493.00	1.00	51864	0.023
DDH09-50	493.00	494.00	1.00	51865	0.021
DDH09-50	494.00	495.00	1.00	51866	0.026
DDH09-50	495.00	495.50	0.50	51867	0.094

**EOH**