

OLLACHEA PROJECT					
2009 SCOUT DIAMOND DRILLING PROGRAM					
DRILLHOLE DDH09-53 : Au Assays Results					
HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-53	5.00	10.00	5.00	49241	0.018
DDH09-53	10.00	15.00	5.00	49242	0.017
DDH09-53	15.00	20.00	5.00	49243	0.023
DDH09-53	20.00	21.00	1.00	49244	0.018
DDH09-53	21.00	23.00	2.00	49246	0.02
DDH09-53	23.00	25.00	2.00	49247	0.022
DDH09-53	25.00	30.00	5.00	49248	0.02
DDH09-53	30.00	31.00	1.00	49249	0.013
DDH09-53	31.00	33.00	2.00	49250	0.016
DDH09-53	33.00	35.00	2.00	49251	0.088
DDH09-53	35.00	36.00	1.00	49252	0.012
DDH09-53	36.00	38.00	2.00	49254	0.012
DDH09-53	38.00	40.00	2.00	49255	0.008
DDH09-53	40.00	42.00	2.00	49256	0.023
DDH09-53	42.00	44.00	2.00	49257	0.011
DDH09-53	44.00	45.00	1.00	49258	0.063
DDH09-53	45.00	47.00	2.00	49259	0.021
DDH09-53	47.00	49.00	2.00	49260	0.011
DDH09-53	49.00	49.50	0.50	49262	0.52
DDH09-53	49.50	50.00	0.50	49263	<0.005
DDH09-53	50.00	50.50	0.50	49264	0.023
DDH09-53	50.50	51.00	0.50	49265	0.067
DDH09-53	51.00	53.00	2.00	49266	0.019
DDH09-53	53.00	55.00	2.00	49267	0.02
DDH09-53	55.00	57.00	2.00	49268	0.024
DDH09-53	57.00	59.00	2.00	49270	0.072
DDH09-53	59.00	60.00	1.00	49271	0.027
DDH09-53	60.00	61.00	1.00	49272	0.019
DDH09-53	61.00	62.00	1.00	49273	0.056
DDH09-53	62.00	63.00	1.00	49274	0.034
DDH09-53	63.00	65.00	2.00	49275	0.022
DDH09-53	65.00	70.00	5.00	49276	0.044
DDH09-53	70.00	75.00	5.00	49277	0.016
DDH09-53	75.00	80.00	5.00	49279	0.009
DDH09-53	80.00	85.00	5.00	49280	0.037
DDH09-53	85.00	87.00	2.00	49281	0.033
DDH09-53	87.00	89.00	2.00	49282	0.672
DDH09-53	89.00	90.00	1.00	49283	0.588
DDH09-53	90.00	91.00	1.00	49284	0.036
DDH09-53	91.00	93.00	2.00	49286	0.073
DDH09-53	93.00	95.00	2.00	49287	0.056
DDH09-53	95.00	100.00	5.00	49288	0.022
DDH09-53	100.00	105.00	5.00	49289	0.013
DDH09-53	105.00	110.00	5.00	49290	0.012
DDH09-53	110.00	115.00	5.00	49291	0.017
DDH09-53	115.00	117.00	2.00	49292	0.025
DDH09-53	117.00	118.00	1.00	49293	0.022
DDH09-53	118.00	120.00	2.00	49294	0.288
DDH09-53	120.00	122.00	2.00	49296	0.377
DDH09-53	122.00	124.00	2.00	49297	0.077
DDH09-53	124.00	125.00	1.00	49298	0.036
DDH09-53	125.00	126.00	1.00	49299	0.051
DDH09-53	126.00	128.00	2.00	49300	0.02
DDH09-53	128.00	130.00	2.00	49302	0.089
DDH09-53	130.00	132.00	2.00	49303	0.034
DDH09-53	132.00	134.00	2.00	49304	0.024
DDH09-53	134.00	135.00	1.00	49305	0.024
DDH09-53	135.00	136.00	1.00	49306	0.01
DDH09-53	136.00	138.00	2.00	49307	0.035
DDH09-53	138.00	140.00	2.00	49308	0.043
DDH09-53	140.00	142.00	2.00	49310	0.03
DDH09-53	142.00	144.00	2.00	49311	0.04
DDH09-53	144.00	146.00	2.00	49312	0.047
DDH09-53	146.00	148.00	2.00	49313	0.056
DDH09-53	148.00	150.00	2.00	49314	0.079

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-53	150.00	152.00	2.00	49315	0.014
DDH09-53	152.00	154.00	2.00	49316	0.011
DDH09-53	154.00	156.00	2.00	49318	0.011
DDH09-53	156.00	158.00	2.00	49319	0.027
DDH09-53	158.00	160.00	2.00	49320	0.562
DDH09-53	160.00	161.00	1.00	49321	0.194
DDH09-53	161.00	162.00	1.00	49322	0.074
DDH09-53	162.00	163.00	1.00	49323	0.007
DDH09-53	163.00	164.00	1.00	49324	0.026
DDH09-53	164.00	165.00	1.00	49326	0.011
DDH09-53	165.00	166.00	1.00	49327	0.009
DDH09-53	166.00	167.00	1.00	49328	0.297
DDH09-53	167.00	168.00	1.00	49329	0.017
DDH09-53	168.00	169.00	1.00	49330	0.049
DDH09-53	169.00	170.00	1.00	49331	0.067
DDH09-53	170.00	171.00	1.00	49332	0.046
DDH09-53	171.00	172.00	1.00	49334	0.519
DDH09-53	172.00	173.00	1.00	49335	0.063
DDH09-53	173.00	174.00	1.00	49336	0.043
DDH09-53	174.00	175.00	1.00	49337	0.068
DDH09-53	175.00	176.00	1.00	49338	0.171
DDH09-53	176.00	177.00	1.00	49339	0.086
DDH09-53	177.00	178.00	1.00	49340	0.07
DDH09-53	178.00	179.00	1.00	49341	0.053
DDH09-53	179.00	180.00	1.00	49343	0.572
DDH09-53	180.00	181.00	1.00	49344	0.46
DDH09-53	181.00	182.00	1.00	49345	0.381
DDH09-53	182.00	183.00	1.00	49346	0.484
DDH09-53	183.00	184.00	1.00	49347	0.046
DDH09-53	184.00	185.00	1.00	49348	0.286
DDH09-53	185.00	186.00	1.00	49350	0.319
DDH09-53	186.00	187.00	1.00	49351	0.116
DDH09-53	187.00	188.00	1.00	49352	0.08
DDH09-53	188.00	189.00	1.00	49353	0.287
DDH09-53	189.00	190.00	1.00	49354	0.161
DDH09-53	190.00	191.00	1.00	49355	0.406
DDH09-53	191.00	192.00	1.00	49356	0.309
DDH09-53	192.00	193.00	1.00	49357	0.12
DDH09-53	193.00	194.00	1.00	49358	0.127
DDH09-53	194.00	195.00	1.00	49360	4.885
DDH09-53	195.00	196.00	1.00	49361	0.777
DDH09-53	196.00	197.00	1.00	49362	0.12
DDH09-53	197.00	198.00	1.00	49363	0.154
DDH09-53	198.00	199.00	1.00	49364	0.938
DDH09-53	199.00	200.00	1.00	49366	0.161
DDH09-53	200.00	201.00	1.00	49367	0.519
DDH09-53	201.00	202.00	1.00	49368	0.521
DDH09-53	202.00	203.00	1.00	49369	0.339
DDH09-53	203.00	204.00	1.00	49370	0.546
DDH09-53	204.00	205.00	1.00	49371	0.13
DDH09-53	205.00	206.00	1.00	49372	0.085
DDH09-53	206.00	207.00	1.00	49374	0.104
DDH09-53	207.00	208.00	1.00	49375	0.051
DDH09-53	208.00	209.00	1.00	49376	0.051
DDH09-53	209.00	210.00	1.00	49377	5.138
DDH09-53	210.00	211.00	1.00	49378	1.244
DDH09-53	211.00	212.00	1.00	49379	1.272
DDH09-53	212.00	213.00	1.00	49380	0.574
DDH09-53	213.00	214.00	1.00	49382	0.414
DDH09-53	214.00	215.00	1.00	49383	0.049
DDH09-53	215.00	216.00	1.00	49384	3.75
DDH09-53	216.00	217.00	1.00	49385	4.164
DDH09-53	217.00	218.00	1.00	49386	0.292
DDH09-53	218.00	219.00	1.00	49387	0.089
DDH09-53	219.00	219.50	0.50	49388	137.64
DDH09-53	219.50	220.00	0.50	49390	0.145
DDH09-53	220.00	221.00	1.00	49391	0.603
DDH09-53	221.00	222.00	1.00	49392	0.222

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-53	222.00	223.00	1.00	49393	0.07
DDH09-53	223.00	224.00	1.00	49394	5.276
DDH09-53	224.00	225.00	1.00	49395	0.04
DDH09-53	225.00	226.00	1.00	49396	0.046
DDH09-53	226.00	227.00	1.00	49398	0.097
DDH09-53	227.00	228.00	1.00	49399	0.029
DDH09-53	228.00	229.00	1.00	49400	0.029
DDH09-53	229.00	230.00	1.00	49401	0.026
DDH09-53	230.00	231.00	1.00	49402	0.018
DDH09-53	231.00	232.00	1.00	49403	0.014
DDH09-53	232.00	233.00	1.00	49404	0.038
DDH09-53	233.00	234.00	1.00	49405	0.045
DDH09-53	234.00	235.00	1.00	49407	0.023
DDH09-53	235.00	236.00	1.00	49408	0.03
DDH09-53	236.00	237.00	1.00	49409	0.039
DDH09-53	237.00	238.00	1.00	49410	0.1
DDH09-53	238.00	239.00	1.00	49411	0.073
DDH09-53	239.00	240.00	1.00	49412	0.089
DDH09-53	240.00	241.00	1.00	49414	0.051
DDH09-53	241.00	242.00	1.00	49415	0.06
DDH09-53	242.00	243.00	1.00	49416	0.077
DDH09-53	243.00	244.00	1.00	49417	0.256
DDH09-53	244.00	245.00	1.00	49418	0.093
DDH09-53	245.00	246.00	1.00	49419	0.412
DDH09-53	246.00	247.00	1.00	49420	0.235
DDH09-53	247.00	248.00	1.00	49421	0.093
DDH09-53	248.00	249.00	1.00	49422	0.089
DDH09-53	249.00	250.00	1.00	49424	0.075
DDH09-53	250.00	252.00	2.00	49425	0.144
DDH09-53	252.00	254.00	2.00	49426	0.063
DDH09-53	254.00	256.00	2.00	49427	0.057
DDH09-53	256.00	258.00	2.00	49428	0.113
DDH09-53	258.00	260.00	2.00	49430	0.289
DDH09-53	260.00	262.00	2.00	49431	0.823
DDH09-53	262.00	264.00	2.00	49432	0.574
DDH09-53	264.00	266.00	2.00	49433	2.049
DDH09-53	266.00	268.00	2.00	49434	0.766
DDH09-53	268.00	270.00	2.00	49435	0.298
DDH09-53	270.00	275.00	5.00	49436	0.041
DDH09-53	275.00	280.00	5.00	49438	0.163
DDH09-53	280.00	282.00	2.00	49439	0.08
DDH09-53	282.00	284.00	2.00	49440	<0.005
DDH09-53	284.00	285.00	1.00	49441	0.378
DDH09-53	285.00	286.00	1.00	49442	0.017
DDH09-53	286.00	288.00	2.00	49443	10.47
DDH09-53	288.00	290.00	2.00	49444	2.508
DDH09-53	290.00	291.00	1.00	49446	0.583
DDH09-53	291.00	293.00	2.00	49447	1.998
DDH09-53	293.00	295.00	2.00	49448	0.07
DDH09-53	295.00	297.00	2.00	49449	5.661
DDH09-53	297.00	298.00	1.00	49450	8.481
DDH09-53	298.00	300.00	2.00	49451	0.701
DDH09-53	300.00	305.00	5.00	49452	2.17
DDH09-53	305.00	310.00	5.00	49454	0.201
DDH09-53	310.00	311.00	1.00	49455	0.013
DDH09-53	311.00	311.50	0.50	49456	0.005
DDH09-53	311.50	312.00	0.50	49457	0.412
DDH09-53	312.00	312.50	0.50	49458	1.109
DDH09-53	312.50	313.00	0.50	49459	0.123
DDH09-53	313.00	315.00	2.00	49460	0.896
DDH09-53	315.00	320.00	5.00	49462	0.303
DDH09-53	320.00	325.00	5.00	49463	0.887
DDH09-53	325.00	330.00	5.00	49464	0.048
DDH09-53	330.00	335.00	5.00	49465	0.087
DDH09-53	335.00	340.00	5.00	49466	0.387
DDH09-53	340.00	345.00	5.00	49467	0.014
DDH09-53	345.00	350.00	5.00	49468	0.088
DDH09-53	350.00	355.00	5.00	49469	0.249

HOLE_ID	FROM	TO	INTERVAL	SAMPLE	Au_g/t
DDH09-53	355.00	360.00	5.00	49471	0.03
DDH09-53	360.00	365.00	5.00	49472	0.101
DDH09-53	365.00	368.10	3.10	49473	0.088
		EOH			